AMERICAN JOURNAL OF OPHTHALMOLOGY®

VOL. 125, JANUARY–JUNE 1998

EDITORS

BRADLEY R. STRAATSMA, *Editor-in-Chief*
THOMAS M. AABERG, SR., *Senior Associate Editor*
BRUCE E. SPIVEY, *Senior Associate Editor*
GARY N. HOLLAND, *Associate Editor*
THOMAS J. LIESEGANG, *Abstract Editor*
NEIL R. MILLER, *Book and Media Editor*
JAY S. PEPOSE, *Associate Editor*

EDITORIAL BOARD

LLOYD P. AIELLO, *Boston*
WALLACE L. M. ALWARD, *Iowa City*
PIERRE M. AMALRIC, *Albi, France*
JOAQUÍN BARRAQUER, *Barcelona, Spain*
GEORGE B. BARTLEY, *Rochester*
J. BRONWYN BATEMAN, *Denver*
RUBENS BELFORT, JR., *São Paulo, Brazil*
ALAN C. BIRD, *London, United Kingdom*
WILLIAM M. BOURNE, *Rochester*
ROSARIO BRANCATO, *Milan, Italy*
JOSEPH CAPRIOLI, *Los Angeles*
SCOTT W. COUSINS, *Miami*
JOSEPH L. DEMER, *Los Angeles*
MARIE DIENER-WEST, *Baltimore*
STEPHEN M. DRANCE, *Vancouver, B.C., Canada*
HANS GROSSNIKLAUS, *Atlanta*
HILEL LEWIS, *Cleveland*
ARTHUR S. M. LIM, *Singapore*
LEO J. MAGUIRE, *Rochester*
ENRIQUE S. MALBRAN, *Buenos Aires, Argentina*
MARK J. MANNIS, *Davis*
FRANCISCO MARTÍNEZ-CASTRO, *Mexico City, Mexico*
BARTLY J. MONDINO, *Los Angeles*
PRAN NATH NAGPAL, *Ahmedabad, India*
GOTTFRIED O. H. NAUMANN, *Erlangen, Germany*
NANCY J. NEWMAN, *Atlanta*
ROBERT B. NUSSENBLATT, *Bethesda*
RICHARD K. PARRISH II, *Miami*
NARSING A. RAO, *Los Angeles*
ALVARO RODRIGUEZ, *Bogotá, Colombia*
M. BRUCE SHIELDS, *New Haven*
KOICHI SHIMIZU, *Maebashi, Japan*
YASUO TANO, *Osaka, Japan*
HUGH R. TAYLOR, *Melbourne, Australia*
ELIAS I. TRABOULSI, *Cleveland*
MARK O. M. TSO, *Shatin, N.T., Kowloon, Hong Kong*
RICHARD W. YEE, *Houston*

SUBJECT INDEX

NOTE: Abstract Index follows Author Index

A

Abducens nerve
Absence of the abducens nerve in Duane syndrome verified by magnetic resonance imaging, 399

Abortion, induced
Endogenous *Candida* endophthalmitis after induced abortion, 873

***Acanthamoeba* keratitis**
Acanthamoeba keratitis with symbiosis of *Hartmannella* ameba, 721

Acquired immunodeficiency syndrome
Chronic multifocal retinal infiltrates in patients infected with human immunodeficiency virus, 312

Cystoid macular edema associated with cytomegalovirus retinitis in patients with the acquired immunodeficiency syndrome, 411

Herpes zoster ophthalmicus in patients with human immunodeficiency virus infection, 285

Human immunodeficiency virus disease: Changing patterns of intraocular inflammation, 374

Pieces of a puzzle: Toward a better understanding of intraocular inflammation associated with human immunodeficiency virus disease (editorial), 383

Regression of cytomegalovirus retinitis associated with protease-inhibitor treatment in patients with AIDS, 567

Transient vitreous inflammatory reactions associated with combination antiretroviral therapy in patients with AIDS and cytomegalovirus retinitis, 292

Uveitis associated with human immunodeficiency virus infection, 301

Vitritis as the primary manifestation of ocular syphilis in patients with HIV infection, 306

Adenomatous polyposis coli
Ophthalmic and genetic screening in pedigrees with familial adenomatous polyposis, 680

Allergens
Combined analysis of two studies using the conjunctival allergen challenge model to evaluate olopatadine hydrochloride, a new ophthalmic antiallergic agent with dual activity, 797

Amblyopia
Unilateral peripapillary myelinated retinal nerve fibers associated with strabismus, amblyopia, and myopia, 554

Amebiasis
Acanthamoeba keratitis with symbiosis of *Hartmannella* ameba, 721

American Journal of Ophthalmology
Change is the instrument of progress (editorial), 94

Amyloidosis
Bilateral multifocal retinal arteriolar sheathing as the only ocular finding in hereditary amyloidosis, 111

Analgesics
Analgesic efficacy and safety of nonpreserved ketorolac tromethamine ophthalmic solution following radial keratotomy, 472

Anesthetics, local
Experimental study of tetrodotoxin, a long-acting topical anesthetic, 481

Topical diclofenac sodium in the management of anesthetic abuse keratopathy, 719

Toxicity of intraocular lidocaine and bupivacaine, 191

Angiography
Confocal tomographic angiography of the optic nerve head in patients with glaucoma, 447

Simultaneous confocal scanning laser fluorescein and indocyanine green angiography, 227

Aniridia
Polymerase chain reaction–based risk assessment for Wilms tumor in sporadic aniridia, 687

Anterior chamber
Extrusion of an anterior chamber intraocular lens complicated by *Haemophilus* endophthalmitis, 261

Anthelmintics
Antihelminthic drugs in diffuse unilateral subacute neuroretinitis, 109

Antibiotics
Corneal ulcer associated with deposits of norfloxacin, 258

Limbus-based vs fornix-based conjunctival flap in combined glaucoma and cataract surgery with adjunctive mitomycin C, 340

Primary glaucoma triple procedure in patients with primary open-angle glaucoma: The effect of mitomycin C in patients with and without prognostic factors for filtration failure, 346

Randomized trial of intraoperative mitomycin C in surgery for pterygium, 59

Antiviral agents
Transient vitreous inflammatory reactions associated with combination antiretroviral therapy in patients with AIDS and cytomegalovirus retinitis, 292

Apolipoproteins E
The ϵ4 allele of the apoliporotein E gene as a potential protective factor for exudative age-related macular degeneration, 353

Aqueous humor
Blood-aqueous barrier after mechanical or nonmechanical excimer laser trephination in penetrating keratoplasty, 177

The effect of aqueous humor suppressants on intravitreal gas bubble duration in rabbits, 701

Arachnoid cysts
Bilateral trochlear nerve palsy with arachnoid cyst of the quadrigeminal cistern, 269

0002-9394/98/$19.00
PII S0002-9394(98)0198-6

© 1998 BY ELSEVIER SCIENCE INC. ALL RIGHTS RESERVED.

Astigmatism
Experimental correction of irregular corneal astigmatism using topography-based flying-spot–mode excimer laser photoablation, 252

Autoantibodies
Anti–Ro/SS-A positivity and heat shock protein antibodies in patients with normal-pressure glaucoma, 145

Immunoadsorption therapy for Fisher syndrome associated with IgG anti GQ_{1b} antibody, 401

B

Behçet disease
High-dose intravenous pulse methylprednisolone hemisuccinate in acute Behçet retinitis, 409

Biomicroscopy
Ultrasound biomicroscopy in Sturge-Weber–associated glaucoma, 119

Birdshot retinochoroidopathy
Appearance of birdshot retinochoroidopathy in a patient with myelodysplasia syndrome, 108

Reduction of cyclosporine dosage with ketoconazole in a patient with birdshot retinochoroidopathy, 106

Birth injuries
Eyelid laceration in a neonate by fetal monitoring spiral electrode, 715

Blepharoplasty
Necrotizing fasciitis caused by group A streptococcus infection after laser blepharoplasty, 265

Blindness
A global initiative for the elimination of avoidable blindness (editorial), 90

Blood circulation
The relationship between progression of visual field defects and retrobulbar circulation in patients with glaucoma (correspondence), 566

Blood vessels
The ophthalmology of intracranial vascular abnormalities, 527

Vascular compression of the oculomotor nerve disclosed by thin-slice magnetic resonance imaging, 881

Bone and bones
Osseous metaplasia in proliferative vitreoretinopathy, 558

Books, Software, and Electronic Media
Accommodation, Nearwork, and Myopia, by Ong, E., and Ciuffreda, K., 128

An Atlas of Ophthalmic Trauma, by Spoor, T. C., 887

Atlas of Visual Fields, by Budenz, D. L., 570

Cicatrising Conjunctivitis, by Bernauer, w., Dart, J. K. G., and Elder, M. J. (eds.), 734

Color Atlas of Glaucoma, by Shields, M. B., 419

Essentials of Eye Care. The Johns Hopkins Wilmer Handbook., by Varma, R. (ed.), 420

The Excimer. Fundamentals and Clinical Use. Second edition., by Stein, H. A., Cheskes, A. T., and Stein, R. M., 733

Excimer Laser Phototherapeutic Keratectomy, by Azar, D. T., Steinert, R. F., and Stark, W. J., 419

Foundation of Low Vision: Clinical and Functional Perspectives, by Corn, A. L., and Koenig, A. J. (eds.), 886

Imagenes Diagnosticas en Oftalmologia, by Barraquer, R. I., Dukes, A. J., Espaillat, A., and Martinez-Grau, G., 571

The Low Vision Handbook, by Brown, B., 126

Management of Ocular Injuries and Emergencies, by MacCumber, M. W., 885

Ocular Therapeutics. Pharmacology and Clinical Application, by Fechner, P. U., and Teichmann, K. D., 735

Ophthalmic Plastic, Reconstructive, and Orbital Surgery, by Stephenson, C. M. (ed.), 275

The Ophthalmoscope: Atlas, by Keeler, C. R., 127

Radiotherapy of Ocular Disease. Frontiers of Radiation Therapy and Oncology. Volume 30, by Wiegel, T., Bornfeld, N., Foerster, M. H., and Hinkelbein, W. (eds.), 273

Refractive Surgery for Eye Care Paraprofessionals, by Gayton, J. L., and Kershner, R., 127

Simplifying Phacoemulsification. Safe and Efficient Methods for Cataract Surgery. Fifth edition., by Koch, P. S., 274

Smith's Ophthalmic Plastic and Reconstructive Surgery. Second edition., by Nesi, F. A., Lisman, R. D., and Levine, M. R., 569

Text Atlas of the Retina, by Hamilton, A. M. P., Gregson, R., and Fish, G. E., 735

Thyroid Eye Disease. Third edition., by Char, D. H., 276

Wolff's Anatomy of the Eye and Orbit. Eighth edition., by Bron, A. J., Tripathi, R. C., and Tripathi, B., 571

Brain
Bilateral trochlear nerve palsy with arachnoid cyst of the quadrigeminal cistern, 269

Breast cancer
Optic tract syndrome secondary to metastatic breast cancer, 115

Bungee cords
Bungee-cord–associated ocular injuries, 270

Bupivacaine
Toxicity of intraocular lidocaine and bupivacaine, 191

C

Candida
Endogenous *Candida* endophthalmitis after induced abortion, 873

Infectious crystalline keratopathy caused by *Candida guilliermondii*, 723

Capsulorhexis
Liquefied aftercataract: A complication of continuous curvilinear capsulorhexis and intraocular lens implantation in the lens capsule, 429

Carbachol
Intraoperative intracameral carbachol in phacoemulsification and posterior chamber lens implantation, 36

Carcinoid tumor
Bilateral multifocal choroidal carcinoid: Long-term follow-up without treatment, 875

Carotid artery
Internal carotid artery dissection causing a branch retinal artery occlusion in a young adult, 706

Severe vision loss and neovascular glaucoma complicating superior ophthalmic vein approach to carotid-cavernous sinus fistula (correspondence), 884

Cataract

Bilateral zonular cataract associated with the mitochondrial cytopathy of Pearson syndrome, 260

Cataract extraction

Capsular bag distention syndrome noted 5 years after intraocular lens implantation, 545

Combined trabeculectomy and phacoemulsification: A one-site vs a two-site approach, 334

The effects of cataract extraction on the visual field of eyes with chronic open-angle glaucoma, 325

Intraoperative intracameral carbachol in phacoemulsification and posterior chamber lens implantation, 36

In vivo quantitative measurement of posterior capsule opacification after extracapsular cataract surgery, 837

Limbus-based vs fornix-based conjunctival flap in combined glaucoma and cataract surgery with adjunctive mitomycin C, 340

Liquefied aftercataract: A complication of continuous curvilinear capsulorhexis and intraocular lens implantation in the lens capsule, 429

The Madurai Intraocular Lens Study. I: A randomized clinical trial comparing complications and vision outcomes of intracapsular cataract extraction with posterior chamber intraocular lens, 1

Posterior capsular plaque: A common feature of cataract surgery in the developing world, 621

Primary glaucoma triple procedure in patients with primary open-angle glaucoma: The effect of mitomycin C in patients with and without prognostic factors for filtration failure, 346

Prospective randomized comparison of phacoemulsification cataract surgery with a 3.2-mm vs a 5.5-mm sutureless incision, 612

Cavernous sinus

Severe vision loss and neovascular glaucoma complicating superior ophthalmic vein approach to carotid-cavernous sinus fistula (correspondence), 883

Cellulitis

Preseptal cellulitis and orbital wall destruction secondary to nasal cocaine abuse, 266

Cerebral aneurysm

Small retinal hemorrhages as the only sign of an intracranial aneurysm, 401

Cerebrovascular disorders

The ophthalmology of intracranial vascular abnormalities, 527

Chaperonin 60

Anti–Ro/SS-A positivity and heat shock protein antibodies in patients with normal-pressure glaucoma, 145

Child

Congenital corneal anesthesia in children with the VACTERL association, 96

Rifabutin-associated uveitis in an immunosuppressed pediatric patient without acquired immunodeficiency syndrome, 872

Topless optic disks in children of mothers with type 1 diabetes mellitus, 605

Choroid

Presumed macular choroidal watershed vascular filling, choroidal neovascularization, and systemic vascular disease in patients with age-related macular degeneration, 71

Radiation choroidopathy with remodeling of the choroidal venous system, 367

Scanning laser ophthalmoscope fundus perimetry after surgery for choroidal neovascularization, 657

Translocation of the retina for management of subfoveal choroidal neovascularization: I. Experimental studies in the rabbit eye, 627

Translocation of the retina for management of subfoveal choroidal neovascularization: II. A preliminary report in humans, 635

Choroid neoplasms

Bilateral multifocal choroidal carcinoid: Long-term follow-up without treatment, 875

Choroidal melanoma: Diagnosis and management (editorial), 865

The Collaborative Ocular Melanoma Study (COMS) randomized trial of pre-enucleation radiation of large choroidal melanoma. I: Characteristics of patients enrolled and not enrolled. COMS Report No. 9, 767

The Collaborative Ocular Melanoma Study (COMS) randomized trial of pre-enucleation radiation of large choroidal melanoma. II: Initial mortality findings. COMS Report No. 10, 779

Surgical removal of solitary hepatic metastasis from choroidal melanoma, 407

Systemic small noncleaved cell lymphoma presenting as a posterior choroidal mass, 560

Chromosome abnormalities

Gillespie syndrome phenotype with a t(X;11)(p22.32;p12) de novo translocation, 397

Chromosome mapping

Clinical features of autosomal dominant congenital nystagmus linked to chromosome 6p12, 64

Ciliary body

Serous detachment of the ciliary body in Harada disease, 666

Cocaine-related disorders

Preseptal cellulitis and orbital wall destruction secondary to nasal cocaine abuse, 266

Collaborative Ocular Melanoma Study

The Collaborative Ocular Melanoma Study (COMS) randomized trial of pre-enucleation radiation of large choroidal melanoma. I: Characteristics of patients enrolled and not enrolled. COMS Report No. 9, 767

The Collaborative Ocular Melanoma Study (COMS) randomized trial of pre-enucleation radiation of large choroidal melanoma. II: Initial mortality findings. COMS Report No. 10, 779

Histopathologic characteristics of uveal melanomas in eyes enucleated from the Collaborative Ocular Melanoma Study. COMS Report No. 6, 745

Conjunctiva
Local effects of previous conjunctival incisional surgery and the subsequent outcome of filtration surgery, 805

T-cell malignant lymphoma with conjunctival involvement, 717

Conjunctivitis, allergic
Allergic conjunctivitis as a risk factor for regression and haze after photorefractive keratectomy, 54

Combined analysis of two studies using the conjunctival allergen challenge model to evaluate olopatadine hydrochloride, a new ophthalmic antiallergic agent with dual activity, 797

Contact lenses
Efficacy and safety of the ProTek (Vifilcon A) therapeutic soft contact lens after photorefractive keratectomy, 169

Cornea
Congenital corneal anesthesia in children with the VACTERL association, 96

Corneal thickness and curvature in normal-tension glaucoma, 164

Interferon treatment for corneolimbal squamous dysplasia, 118

Topical diclofenac sodium in the management of anesthetic abuse keratopathy, 719

Corneal dystrophies, hereditary
Lattice corneal dystrophy type 1 in a Canadian kindred is associated with the $Arg^{124}\rightarrow$ cys mutation in the kerato-epithelin gene, 547

Macular corneal dystrophy in Saudi Arabia: A study of 56 cases and recognition of a new immunophenotype (correspondence), 417

Meesmann corneal epithelial dystrophy in a Saudi Arabian family, 182

Corneal stroma
Acute posterior multifocal placoid pigment epitheliopathy with corneal stromal infiltrates, 556

Corneal topography
Corneal thickness and curvature in normal-tension glaucoma, 164

Experimental correction of irregular corneal astigmatism using topography-based flying-spot–mode excimer laser photoablation, 252

The prediction of surgically induced refractive change from corneal topography, 44

Corneal transplantation
Infectious crystalline keratopathy caused by *Candida guilliermondii*, 723

Corneal ulcer
Corneal ulcer associated with deposits of norfloxacin, 258

Corrections
Evolution of a full-thickness macular hole, 125:245; correction, 743

Multifocal electroretinography in retinitis pigmentosa, 125: 214; correction, 743

Occult giant cell arteritis: ocular manifestations, 125:521; correction, 893

Viscosity-dependent fluid dynamics of eyedrops on the ocular surface, 125:386; correction, 743

Cyclosporine
Reduction of cyclosporine dosage with ketoconazole in a patient with birdshot retinochoroidopathy, 106

Cyst
Bilateral trochlear nerve palsy with arachnoid cyst of the quadrigeminal cistern, 269

Pneumo-orbital cyst after orbital fracture repair, 879

Cytomegalovirus retinitis
Cystoid macular edema associated with cytomegalovirus retinitis in patients with the acquired immunodeficiency syndrome, 411

Cytomegalovirus retinitis after cardiac transplantation, 104

Regression of cytomegalovirus retinitis associated with protease-inhibitor treatment in patients with AIDS, 567

Transient vitreous inflammatory reactions associated with combination antiretroviral therapy in patients with AIDS and cytomegalovirus retinitis, 292

D

Dacryocystitis
Aerobic and anaerobic microbiology of dacryocystitis, 552

Deafness
Macular dystrophy, diabetes, and deafness associated with a large mitochondrial DNA deletion, 100

Delusions
Delusions of ocular parasitosis, 852

Dexamethasone
Dexamethasone concentration in vitreous and serum after oral administration, 673

Diabetes mellitus
Macular dystrophy, diabetes, and deafness associated with a large mitochondrial DNA deletion, 100

Diabetes mellitus, insulin-dependent
Topless optic disks in children of mothers with type 1 diabetes mellitus, 605

Diabetic retinopathy
The topographic distribution of the first sites of diabetic retinal neovascularization, 704

Vascular endothelial growth factor and severity of nonproliferative diabetic retinopathy mediate retinal hemodynamics in vivo: A potential role for vascular endothelial growth factor in the progression of nonproliferative diabetic retinopathy (correspondence), 731

Diclofenac
Topical diclofenac sodium in the management of anesthetic abuse keratopathy, 719

Digoxin
Digoxin visual toxicity with therapeutic blood levels of digoxin, 406

DNA, mitochondrial
Bilateral zonular cataract associated with the mitochondrial cytopathy of Pearson syndrome, 260

Macular dystrophy, diabetes, and deafness associated with a large mitochondrial DNA deletion, 100

Drug toxicity
Digoxin visual toxicity with therapeutic blood levels of digoxin, 406

Long-term tamoxifen citrate use and potential ocular toxicity, 493

Toxicity of intraocular lidocaine and bupivacaine, 191

Duane syndrome

Absence of the abducens nerve in Duane syndrome verified by magnetic resonance imaging, 399

Dysplasia

Interferon treatment for corneolimbal squamous dysplasia, 118

E

Echinococcosis

Percutaneous treatment of an orbital hydatid cyst: A new therapeutic approach, 877

Echovirus infections

Echovirus keratoconjunctivitis, 187

Electroretinography

Cone b-wave implicit time as an early predictor of rubeosis in central retinal vein occlusion, 247

Focal macular electroretinograms before and after successful macular hole surgery, 204

Multifocal electroretinography in retinitis pigmentosa, 214

Endometrial carcinoma

Iris metastasis from endometrial carcinoma, 729

Endophthalmitis

Endogenous *Candida* endophthalmitis after induced abortion, 873

Extrusion of an anterior chamber intraocular lens complicated by *Haemophilus* endophthalmitis, 261

Endothelial growth factors

Vascular endothelial growth factor and severity of nonproliferative diabetic retinopathy mediate retinal hemodynamics in vivo: A potential role for vascular endothelial growth factor in the progression of nonproliferative diabetic retinopathy (correspondence), 731

Endothelium, corneal

Effects of laser in situ keratomileusis (LASIK) on the corneal endothelium, 465

Epithelium, corneal

Meesmann corneal epithelial dystrophy in a Saudi Arabian family, 182

Eye enucleation

The Collaborative Ocular Melanoma Study (COMS) randomized trial of pre-enucleation radiation of large choroidal melanoma. I: Characteristics of patients enrolled and not enrolled. COMS Report No. 9, 767

The Collaborative Ocular Melanoma Study (COMS) randomized trial of pre-enucleation radiation of large choroidal melanoma. II: Initial mortality findings. COMS Report No. 10, 779

Histopathologic characteristics of uveal melanomas in eyes enucleated from the Collaborative Ocular Melanoma Study. COMS Report No. 6, 745

Eye injuries

Bungee-cord–associated ocular injuries, 270

Corneal injury after carbon dioxide laser skin resurfacing, 392

Corneal injury from explosion of microwaved eggs, 390

A system for classifying mechanical injuries of the eye (globe) (correspondence), 565

Eyelids

Argon laser therapy of benign tumors of the eyelid, 693

Cutaneous angiosarcoma with eyelid involvement, 870

Eyelid laceration in a neonate by fetal monitoring spiral electrode, 715

Necrotizing fasciitis caused by group A streptococcus infection after laser blepharoplasty, 265

Tick infestation of the eyelid, 263

F

Fasciitis, necrotizing

Necrotizing fasciitis caused by group A streptococcus infection after laser blepharoplasty, 265

Fetal monitoring

Eyelid laceration in a neonate by fetal monitoring spiral electrode, 715

Fisher syndrome

Immunoadsorption therapy for Fisher syndrome associated with IgG anti GQ_{1b} antibody, 401

Fistula

Severe vision loss and neovascular glaucoma complicating superior ophthalmic vein approach to carotid-cavernous sinus fistula (correspondence), 883

Floaters

Predictive value of floaters in the diagnosis of posterior vitreous detachment, 113

Fluorescein angiography

Simultaneous confocal scanning laser fluorescein and indocyanine green angiography, 227

Follow-up studies

Bilateral multifocal choroidal carcinoid: Long-term follow-up without treatment, 875

Ten-year follow-up of helium ion therapy for uveal melanoma, 81

Fovea centralis

Visual function after foveal translocation with scleral shortening in patients with myopic neovascular maculopathy, 647

Fundus oculi

Scanning laser ophthalmoscope fundus perimetry after surgery for choroidal neovascularization, 657

G

Gelatinase B

Gelatinase B in proliferative vitreoretinal disorders, 844

Genes

The ϵ4 allele of the apoliporotein E gene as a potential protective factor for exudative age-related macular degeneration, 353

Autosomal dominant iris hypoplasia is caused by a mutation in the Rieger syndrome (RIEG/PITX2) gene, 98

Lattice corneal dystrophy type 1 in a Canadian kindred is associated with the $Arg^{124}\rightarrow$ cys mutation in the kerato-epithelin gene, 547

Oguchi disease with sectoral retinitis pigmentosa harboring

adenine deletion at position 1147 in the arrestin gene, 249

Genetic screening
Ophthalmic and genetic screening in pedigrees with familial adenomatous polyposis, 680

Genetics, medical
Bilateral zonular cataract associated with the mitochondrial cytopathy of Pearson syndrome, 260

Clinical features of autosomal dominant congenital nystagmus linked to chromosome 6p12, 64

Dominant inheritance of optic pits (correspondence), 124

Gillespie syndrome phenotype with a t(X;11)(p22.32;p12) de novo translocation, 397

Macular corneal dystrophy in Saudi Arabia: A study of 56 cases and recognition of a new immunophenotype (correspondence), 417

Macular dystrophy, diabetes, and deafness associated with a large mitochondrial DNA deletion, 100

Meesmann corneal epithelial dystrophy in a Saudi Arabian family, 182

A North Carolina macular dystrophy phenotype in a Belizean family maps to the MCDR1 locus, 502

Gillespie syndrome
Gillespie syndrome phenotype with a t(X;11)(p22.32;p12) de novo translocation, 397

Glaucoma
The ability of scanning laser ophthalmoscopy to identify various glaucomatous optic disk appearances, 593

Acquired pit of the optic nerve: A risk factor for progression of glaucoma, 457

Clinical classification of glaucomatous visual field loss by frequency doubling perimetry, 830

Combined trabeculectomy and phacoemulsification: A one-site vs a two-site approach, 334

Confocal tomographic angiography of the optic nerve head in patients with glaucoma, 447

Identification of glaucoma-related visual field abnormality with the screening protocol of frequency doubling technology, 819

Limbus-based vs fornix-based conjunctival flap in combined glaucoma and cataract surgery with adjunctive mitomycin C, 340

Local effects of previous conjunctival incisional surgery and the subsequent outcome of filtration surgery, 805

Recognizing structural damage to the optic nerve head and nerve fiber layer in glaucoma (correspondence), 563

The relationship between progression of visual field defects and retrobulbar circulation in patients with glaucoma (correspondence), 566

Severe vision loss and neovascular glaucoma complicating superior ophthalmic vein approach to carotid-cavernous sinus fistula (correspondence), 883

Ultrasound biomicroscopy in Sturge-Weber–associated glaucoma, 119

Glaucoma, normal-pressure
Anti–Ro/SS-A positivity and heat shock protein antibodies in patients with normal-pressure glaucoma, 145

Comparison of the effect of latanoprost 0.005% and timolol 0.5% on the calculated ocular perfusion pressure in patients with normal-tension glaucoma, 585

Corneal thickness and curvature in normal-tension glaucoma, 164

Normal-pressure glaucoma (editorial), 242

Pressure-dependent neuroretinal rim loss in normal-pressure glaucoma, 137

Glaucoma, open-angle
The effects of cataract extraction on the visual field of eyes with chronic open-angle glaucoma, 325

Mapping structural to functional damage in glaucoma with standard automated perimetry and confocal scanning laser ophthalmoscopy, 436

Primary glaucoma triple procedure in patients with primary open-angle glaucoma: The effect of mitomycin C in patients with and without prognostic factors for filtration failure, 346

Glucocorticoids, synthetic
Dexamethasone concentration in vitreous and serum after oral administration, 673

The effect of deep posterior subtenon injection of corticosteroids on intraocular pressure, 158

High-dose intravenous pulse methylprednisolone hemisuccinate in acute Behçet retinitis, 409

H

Haemophilus influenzae
Extrusion of an anterior chamber intraocular lens complicated by *Haemophilus* endophthalmitis, 261

Harada disease
Serous detachment of the ciliary body in Harada disease, 666

Heart transplantation
Cytomegalovirus retinitis after cardiac transplantation, 104

Heat-shock proteins
Anti–Ro/SS-A positivity and heat shock protein antibodies in patients with normal-pressure glaucoma, 145

Helium
Ten-year follow-up of helium ion therapy for uveal melanoma, 81

Helminths
Antihelminthic drugs in diffuse unilateral subacute neuroretinitis, 109

Hemangioma
Histopathology of the eye in diffuse neonatal hemangiomatosis, 868

Hemangiosarcoma
Cutaneous angiosarcoma with eyelid involvement, 870

Herpes simplex
Efficient reactivation of latent herpes simplex virus type 1 infection by excimer laser keratectomy in the experimental rabbit ocular model, 488

Herpes zoster ophthalmicus
Herpes zoster ophthalmicus in patients with human immunodeficiency virus infection, 285

HIV infections
Chronic multifocal retinal infiltrates in patients infected with human immunodeficiency virus, 312

Cystoid macular edema associated with cytomegalovirus retinitis in patients with the acquired immunodeficiency syndrome, 411

Herpes zoster ophthalmicus in patients with human immunodeficiency virus infection, 285

Human immunodeficiency virus disease: Changing patterns of intraocular inflammation, 374

Pieces of a puzzle: Toward a better understanding of intraocular inflammation associated with human immunodeficiency virus disease (editorial), 383

Regression of cytomegalovirus retinitis associated with protease-inhibitor treatment in patients with AIDS, 567

Transient vitreous inflammatory reactions associated with combination antiretroviral therapy in patients with AIDS and cytomegalovirus retinitis, 292

Uveitis associated with human immunodeficiency virus infection, 301

Vitritis as the primary manifestation of ocular syphilis in patients with HIV infection, 306

HIV protease inhibitors

Regression of cytomegalovirus retinitis associated with protease-inhibitor treatment in patients with AIDS, 567

Hyalosis

Vitrectomy in patients with decreased visual acuity secondary to asteroid hyalosis, 703

I

Immunoadsorption therapy

Immunoadsorption therapy for Fisher syndrome associated with IgG anti GQ_{1b} antibody, 401

Immunocompromised host

Rifabutin-associated uveitis in an immunosuppressed pediatric patient without acquired immunodeficiency syndrome, 872

Immunosuppressive agents

Reduction of cyclosporine dosage with ketoconazole in a patient with birdshot retinochoroidopathy, 106

Indocyanine green

Simultaneous confocal scanning laser fluorescein and indocyanine green angiography, 227

Infant, newborn

Eyelid laceration in a neonate by fetal monitoring spiral electrode, 715

Histopathology of the eye in diffuse neonatal hemangiomatosis, 868

Infant, premature

Retinopathy of prematurity in multiple-gestation pregnancies, 197

Infection

Acanthamoeba keratitis with symbiosis of *Hartmannella* ameba, 721

Aerobic and anaerobic microbiology of dacryocystitis, 552

Echovirus keratoconjunctivitis, 187

Efficient reactivation of latent herpes simplex virus type 1 infection by excimer laser keratectomy in the experimental rabbit ocular model, 488

Endogenous *Candida* endophthalmitis after induced abortion, 873

Epibulbar molluscum contagiosum, 394

Extrusion of an anterior chamber intraocular lens complicated by *Haemophilus* endophthalmitis, 261

Herpes zoster ophthalmicus in patients with human immunodeficiency virus infection, 285

Infectious crystalline keratopathy caused by *Candida guilliermondii*, 723

Necrotizing fasciitis caused by group A streptococcus infection after laser blepharoplasty, 265

Inflammation

Human immunodeficiency virus disease: Changing patterns of intraocular inflammation, 374

Pieces of a puzzle: Toward a better understanding of intraocular inflammation associated with human immunodeficiency virus disease (editorial), 383

Transient vitreous inflammatory reactions associated with combination antiretroviral therapy in patients with AIDS and cytomegalovirus retinitis, 292

Infrared rays

Examination of patients with cystoid macular edema using a scanning laser ophthalmoscope with infrared light, 710

Interferon alfa-2b

Interferon treatment for corneolimbal squamous dysplasia, 118

Intraocular pressure

Comparison of the effect of latanoprost 0.005% and timolol 0.5% on the calculated ocular perfusion pressure in patients with normal-tension glaucoma, 585

The effect of deep posterior subtenon injection of corticosteroids on intraocular pressure, 158

Pressure-dependent neuroretinal rim loss in normal-pressure glaucoma, 137

Iris

Autosomal dominant iris hypoplasia is caused by a mutation in the Rieger syndrome (RIEG/PITX2) gene, 98

Iris metastasis from endometrial carcinoma, 729

Polymerase chain reaction–based risk assessment for Wilms tumor in sporadic aniridia, 687

Ivermectin

Antihelminthic drugs in diffuse unilateral subacute neuroretinitis, 109

K

Keratectomy, photorefractive, excimer laser

Allergic conjunctivitis as a risk factor for regression and haze after photorefractive keratectomy, 54

Efficacy and safety of the ProTek (Vifilcon A) therapeutic soft contact lens after photorefractive keratectomy, 169

Efficient reactivation of latent herpes simplex virus type 1 infection by excimer laser keratectomy in the experimental rabbit ocular model, 488

Experimental correction of irregular corneal astigmatism using topography-based flying-spot–mode excimer laser photoablation, 252

Keratoconjunctivitis, infectious

Echovirus keratoconjunctivitis, 187

Keratomileusis
Effects of laser in situ keratomileusis (LASIK) on the corneal endothelium, 465

Keratoplasty, penetrating
Blood-aqueous barrier after mechanical or nonmechanical excimer laser trephination in penetrating keratoplasty, 177

The complication of retained intraocular recipient corneal button after penetrating keratoplasty, 256

Keratotomy, radial
Analgesic efficacy and safety of nonpreserved ketorolac tromethamine ophthalmic solution following radial keratotomy, 472

Ketoconazole
Reduction of cyclosporine dosage with ketoconazole in a patient with birdshot retinochoroidopathy, 106

Ketorolac
Analgesic efficacy and safety of nonpreserved ketorolac tromethamine ophthalmic solution following radial keratotomy, 472

L

Laser scanning confocal angiography
Confocal tomographic angiography of the optic nerve head in patients with glaucoma, 447

Simultaneous confocal scanning laser fluorescein and indocyanine green angiography, 227

Laser scanning ophthalmoscopy
The ability of scanning laser ophthalmoscopy to identify various glaucomatous optic disk appearances, 593

Examination of patients with cystoid macular edema using a scanning laser ophthalmoscope with infrared light, 710

Mapping structural to functional damage in glaucoma with standard automated perimetry and confocal scanning laser ophthalmoscopy, 436

Scanning laser ophthalmoscope fundus perimetry after surgery for choroidal neovascularization, 657

Scanning laser ophthalmoscopic findings in a patient with acute zonal occult outer retinopathy, 712

Laser surgery
Argon laser therapy of benign tumors of the eyelid, 693

Blood-aqueous barrier after mechanical or nonmechanical excimer laser trephination in penetrating keratoplasty, 177

Corneal injury after carbon dioxide laser skin resurfacing, 392

Effects of laser in situ keratomileusis (LASIK) on the corneal endothelium, 465

Necrotizing fasciitis caused by group A streptococcus infection after laser blepharoplasty, 265

Latanoprost
Comparison of the effect of latanoprost 0.005% and timolol 0.5% on the calculated ocular perfusion pressure in patients with normal-tension glaucoma, 585

Lens capsule, crystalline
Capsular bag distention syndrome noted 5 years after intraocular lens implantation, 545

In vivo quantitative measurement of posterior capsule opacification after extracapsular cataract surgery, 837

Liquefied aftercataract: A complication of continuous curvilinear capsulorhexis and intraocular lens implantation in the lens capsule, 429

Posterior capsular plaque: A common feature of cataract surgery in the developing world, 621

Lens implantation, intraocular
Capsular bag distention syndrome noted 5 years after intraocular lens implantation, 545

Extrusion of an anterior chamber intraocular lens complicated by *Haemophilus* endophthalmitis, 261

Intraoperative intracameral carbachol in phacoemulsification and posterior chamber lens implantation, 36

Liquefied aftercataract: A complication of continuous curvilinear capsulorhexis and intraocular lens implantation in the lens capsule, 429

The Madurai Intraocular Lens Study. I: A randomized clinical trial comparing complications and vision outcomes of intracapsular cataract extraction with posterior chamber intraocular lens, 1

The Madurai Intraocular Lens Study. II: Clinical outcomes, 14

The Madurai Intraocular Lens Study. III: Visual functioning and quality of life outcomes, 26

Very high frequency ultrasound analysis of a new phakic posterior chamber intraocular lens in situ, 725

Lidocaine
Toxicity of intraocular lidocaine and bupivacaine, 191

Limbus corneae
Interferon treatment for corneolimbal squamous dysplasia, 118

Limbus-based vs fornix-based conjunctival flap in combined glaucoma and cataract surgery with adjunctive mitomycin C, 340

Liver neoplasms
Surgical removal of solitary hepatic metastasis from choroidal melanoma, 407

Lymphoma
Systemic small noncleaved cell lymphoma presenting as a posterior choroidal mass, 560

T-cell malignant lymphoma with conjunctival involvement, 717

M

Macular degeneration
The $\epsilon 4$ allele of the apoliporotein E gene as a potential protective factor for exudative age-related macular degeneration, 353

Macular translocation (editorial), 698

Presumed macular choroidal watershed vascular filling, choroidal neovascularization, and systemic vascular disease in patients with age-related macular degeneration, 71

Translocation of the retina for management of subfoveal choroidal neovascularization: I. Experimental studies in the rabbit eye, 627

Translocation of the retina for management of subfoveal choroidal neovascularization: II. A preliminary report in humans, 635

Visual function after foveal translocation with scleral short-

ening in patients with myopic neovascular maculopathy, 647

Macular dystrophy
Macular corneal dystrophy in Saudi Arabia: A study of 56 cases and recognition of a new immunophenotype (correspondence), 417

Macular dystrophy, diabetes, and deafness associated with a large mitochondrial DNA deletion, 100

A North Carolina macular dystrophy phenotype in a Belizean family maps to the MCDR1 locus, 502

Macular edema, cystoid
Cystoid macular edema associated with cytomegalovirus retinitis in patients with the acquired immunodeficiency syndrome, 411

Examination of patients with cystoid macular edema using a scanning laser ophthalmoscope with infrared light, 710

The Madurai Intraocular Lens Study
I: A randomized clinical trial comparing complications and vision outcomes of intracapsular cataract extraction with posterior chamber intraocular lens, 1

II: Clinical outcomes, 14

III: Visual functioning and quality of life outcomes, 26

Magnetic resonance imaging
Absence of the abducens nerve in Duane syndrome verified by magnetic resonance imaging, 399

Bilateral internal ophthalmoplegia as a feature of oculomotor fascicular syndrome disclosed by magnetic resonance imaging, 121

Vascular compression of the oculomotor nerve disclosed by thin-slice magnetic resonance imaging, 881

Meesmann corneal dystrophy
Meesmann corneal epithelial dystrophy in a Saudi Arabian family, 182

Melanoma
Choroidal melanoma: Diagnosis and management (editorial), 865

The Collaborative Ocular Melanoma Study (COMS) randomized trial of pre-enucleation radiation of large choroidal melanoma. I: Characteristics of patients enrolled and not enrolled. COMS Report No. 9, 767

The Collaborative Ocular Melanoma Study (COMS) randomized trial of pre-enucleation radiation of large choroidal melanoma. II: Initial mortality findings. COMS Report No. 10, 779

Histopathologic characteristics of uveal melanomas in eyes enucleated from the Collaborative Ocular Melanoma Study. COMS Report No. 6, 745

Surgical removal of solitary hepatic metastasis from choroidal melanoma, 407

Ten-year follow-up of helium ion therapy for uveal melanoma, 81

Metaplasia
Osseous metaplasia in proliferative vitreoretinopathy, 558

Methylprednisolone hemisuccinate
High-dose intravenous pulse methylprednisolone hemisuccinate in acute Behçet retinitis, 409

Microbiology
Aerobic and anaerobic microbiology of dacryocystitis, 552

Microwaves
Corneal injury from explosion of microwaved eggs, 390

Minocycline
Minocycline-induced scleral, dental, and dermal pigmentation, 396

Mitomycin C
Limbus-based vs fornix-based conjunctival flap in combined glaucoma and cataract surgery with adjunctive mitomycin C, 340

Primary glaucoma triple procedure in patients with primary open-angle glaucoma: The effect of mitomycin C in patients with and without prognostic factors for filtration failure, 346

Randomized trial of intraoperative mitomycin C in surgery for pterygium, 59

Topical mitomycin C for the treatment of conjunctival and corneal epithelial dysplasia and neoplasia (correspondence), 416

Molluscum contagiosum
Epibulbar molluscum contagiosum, 394

Myelodysplasia
Appearance of birdshot retinochoroidopathy in a patient with myelodysplasia syndrome, 108

Myopia
Unilateral peripapillary myelinated retinal nerve fibers associated with strabismus, amblyopia, and myopia, 554

Visual function after foveal translocation with scleral shortening in patients with myopic neovascular maculopathy, 647

N

Necrosis
Acute retinal necrosis late in the second trimester, 103

Nematode infections
Antihelminthic drugs in diffuse unilateral subacute neuroretinitis, 109

Neoplasm metastasis
Iris metastasis from endometrial carcinoma, 728

Optic tract syndrome secondary to metastatic breast cancer, 115

Surgical removal of solitary hepatic metastasis from choroidal melanoma, 407

Neoplasms
Argon laser therapy of benign tumors of the eyelid, 693

Neovascularization
Presumed macular choroidal watershed vascular filling, choroidal neovascularization, and systemic vascular disease in patients with age-related macular degeneration, 71

Scanning laser ophthalmoscope fundus perimetry after surgery for choroidal neovascularization, 657

The topographic distribution of the first sites of diabetic retinal neovascularization, 704

Translocation of the retina for management of subfoveal choroidal neovascularization: I. Experimental studies in the rabbit eye, 627

Translocation of the retina for management of subfoveal choroidal neovascularization: II. A preliminary report in humans, 635

Visual function after foveal translocation with scleral shortening in patients with myopic neovascular maculopathy, 647

Nerve fibers, myelinated
Unilateral peripapillary myelinated retinal nerve fibers associated with strabismus, amblyopia, and myopia, 554

Neuroretinitis
Antihelminthic drugs in diffuse unilateral subacute neuroretinitis, 109

Norfloxacin
Corneal ulcer associated with deposits of norfloxacin, 258

Nose
Preseptal cellulitis and orbital wall destruction secondary to nasal cocaine abuse, 266

Nystagmus
Clinical features of autosomal dominant congenital nystagmus linked to chromosome 6p12, 64

O

Obituary
Maumenee, A. Edward, 582

Oculomotor nerve paralysis
Bilateral internal ophthalmoplegia as a feature of oculomotor fascicular syndrome disclosed by magnetic resonance imaging, 121

Vascular compression of the oculomotor nerve disclosed by thin-slice magnetic resonance imaging, 881

Oguchi disease
Oguchi disease with sectoral retinitis pigmentosa harboring adenine deletion at position 1147 in the arrestin gene, 249

Olopatadine hydrochloride
Combined analysis of two studies using the conjunctival allergen challenge model to evaluate olopatadine hydrochloride, a new ophthalmic antiallergic agent with dual activity, 797

Ophthalmic solutions
Analgesic efficacy and safety of nonpreserved ketorolac tromethamine ophthalmic solution following radial keratotomy, 472

Viscosity-dependent fluid dynamics of eyedrops on the ocular surface, 386

Ophthalmic vein
Severe vision loss and neovascular glaucoma complicating superior ophthalmic vein approach to carotid-cavernous sinus fistula (correspondence), 883

Ophthalmology
The ophthalmology of intracranial vascular abnormalities, 527

Ophthalmoplegia
Bilateral internal ophthalmoplegia as a feature of oculomotor fascicular syndrome disclosed by magnetic resonance imaging, 121

Vascular compression of the oculomotor nerve disclosed by thin-slice magnetic resonance imaging, 881

Ophthalmoscopy
The ability of scanning laser ophthalmoscopy to identify various glaucomatous optic disk appearances, 593

Examination of patients with cystoid macular edema using a scanning laser ophthalmoscope with infrared light, 710

Mapping structural to functional damage in glaucoma with standard automated perimetry and confocal scanning laser ophthalmoscopy, 436

Scanning laser ophthalmoscope fundus perimetry after surgery for choroidal neovascularization, 657

Scanning laser ophthalmoscopic findings in a patient with acute zonal occult outer retinopathy, 712

Optic disk
The ability of scanning laser ophthalmoscopy to identify various glaucomatous optic disk appearances, 593

Topless optic disks in children of mothers with type 1 diabetes mellitus, 605

Unilateral peripapillary myelinated retinal nerve fibers associated with strabismus, amblyopia, and myopia, 554

Optic nerve
Acquired pit of the optic nerve: A risk factor for progression of glaucoma, 457

Confocal tomographic angiography of the optic nerve head in patients with glaucoma, 447

Dominant inheritance of optic pits (correspondence), 124

Pressure-dependent neuroretinal rim loss in normal-pressure glaucoma, 137

Recognizing structural damage to the optic nerve head and nerve fiber layer in glaucoma (correspondence), 563

Optic tract
Optic tract syndrome secondary to metastatic breast cancer, 115

Orbital diseases
Percutaneous treatment of an orbital hydatid cyst: A new therapeutic approach, 877

Preseptal cellulitis and orbital wall destruction secondary to nasal cocaine abuse, 266

Orbital fractures
Pneumo-orbital cyst after orbital fracture repair, 879

P

Pain insensitivity, congenital
Congenital corneal anesthesia in children with the VACTERL association, 96

Parasites
Delusions of ocular parasitosis, 852

Pearson syndrome
Bilateral zonular cataract associated with the mitochondrial cytopathy of Pearson syndrome, 260

Perfluorocarbon gases
The effect of aqueous humor suppressants on intravitreal gas bubble duration in rabbits, 701

Pericardium
The use of processed pericardial tissue in anterior ocular segment reconstruction, 549

Perimetry
Clinical classification of glaucomatous visual field loss by frequency doubling perimetry, 830

Identification of glaucoma-related visual field abnormality

with the screening protocol of frequency doubling technology, 819

Mapping structural to functional damage in glaucoma with standard automated perimetry and confocal scanning laser ophthalmoscopy, 436

Scanning laser ophthalmoscope fundus perimetry after surgery for choroidal neovascularization, 657

Threshold perimetry of each eye with both eyes open in patients with monocular functional (nonorganic) and organic vision loss, 957

Phacoemulsification

Combined trabeculectomy and phacoemulsification: A one-site vs a two-site approach, 334

Intraoperative intracameral carbachol in phacoemulsification and posterior chamber lens implantation, 36

Prospective randomized comparison of phacoemulsification cataract surgery with a 3.2-mm vs a 5.5-mm sutureless incision, 612

Pigment epithelium of eye

Acute posterior multifocal placoid pigment epitheliopathy with corneal stromal infiltrates, 556

Pigmentation

Minocycline-induced scleral, dental, and dermal pigmentation, 396

Polymerase chain reaction

Polymerase chain reaction–based risk assessment for Wilms tumor in sporadic aniridia, 687

Postoperative complications

Capsular bag distention syndrome noted 5 years after intraocular lens implantation, 545

The complication of retained intraocular recipient corneal button after penetrating keratoplasty, 256

Extrusion of an anterior chamber intraocular lens complicated by *Haemophilus* endophthalmitis, 261

Liquefied aftercataract: A complication of continuous curvilinear capsulorhexis and intraocular lens implantation in the lens capsule, 429

The Madurai Intraocular Lens Study. I: A randomized clinical trial comparing complications and vision outcomes of intracapsular cataract extraction with posterior chamber intraocular lens, 1

Severe vision loss and neovascular glaucoma complicating superior ophthalmic vein approach to carotid-cavernous sinus fistula (correspondence), 883

Pregnancy

Acute retinal necrosis late in the second trimester, 103

Retinopathy of prematurity in multiple-gestation pregnancies, 197

Prostheses and implants

Simplified technique for suturing a temporary keratoprosthesis for pars plana vitrectomy, 251

Pseudotumor cerebri

Association of xerophthalmia, flecked retina, and pseudotumor cerebri caused by hypovitaminosis A, 708

Pterygium

Randomized trial of intraoperative mitomycin C in surgery for pterygium, 59

Q

Quality of life

The Madurai Intraocular Lens Study. III: Visual functioning and quality of life outcomes, 26

R

Radiation effects

Radiation choroidopathy with remodeling of the choroidal venous system, 367

Ten-year follow-up of helium ion therapy for uveal melanoma, 81

Radiotherapy

The Collaborative Ocular Melanoma Study (COMS) randomized trial of pre-enucleation radiation of large choroidal melanoma. I: Characteristics of patients enrolled and not enrolled. COMS Report No. 9, 767

The Collaborative Ocular Melanoma Study (COMS) randomized trial of pre-enucleation radiation of large choroidal melanoma. II: Initial mortality findings. COMS Report No. 10, 779

Refraction, ocular

The prediction of surgically induced refractive change from corneal topography, 44

Retina

Acute retinal necrosis late in the second trimester, 103

Association of xerophthalmia, flecked retina, and pseudotumor cerebri caused by hypovitaminosis A, 708

Chronic multifocal retinal infiltrates in patients infected with human immunodeficiency virus, 312

Scanning laser ophthalmoscopic findings in a patient with acute zonal occult outer retinopathy, 712

Translocation of the retina for management of subfoveal choroidal neovascularization: I. Experimental studies in the rabbit eye, 627

Translocation of the retina for management of subfoveal choroidal neovascularization: II. A preliminary report in humans, 635

Visual function after foveal translocation with scleral shortening in patients with myopic neovascular maculopathy, 647

Retinal hemorrhage

Small retinal hemorrhages as the only sign of an intracranial aneurysm, 401

Retinal perforations

Evolution of a full-thickness macular hole, 245

Focal macular electroretinograms before and after successful macular hole surgery, 204

The natural history of macular pseudoholes, 360

Retinal vein occlusion

Cone b-wave implicit time as an early predictor of rubeosis in central retinal vein occlusion, 247

Retinal vessels

Bilateral multifocal retinal arteriolar sheathing as the only ocular finding in hereditary amyloidosis, 111

Internal carotid artery dissection causing a branch retinal artery occlusion in a young adult, 706

Retinitis
Cystoid macular edema associated with cytomegalovirus retinitis in patients with the acquired immunodeficiency syndrome, 411
Cytomegalovirus retinitis after cardiac transplantation, 104
High-dose intravenous pulse methylprednisolone hemisuccinate in acute Behçet retinitis, 409
Regression of cytomegalovirus retinitis associated with protease-inhibitor treatment in patients with AIDS, 567
Transient vitreous inflammatory reactions associated with combination antiretroviral therapy in patients with AIDS and cytomegalovirus retinitis, 292

Retinitis pigmentosa
Multifocal electroretinography in retinitis pigmentosa, 214
Oguchi disease with sectoral retinitis pigmentosa harboring adenine deletion at position 1147 in the arrestin gene, 249

Retinopathy of prematurity
Retinopathy of prematurity in multiple-gestation pregnancies, 197

Rieger syndrome
Autosomal dominant iris hypoplasia is caused by a mutation in the Rieger syndrome (RIEG/PITX2) gene, 98

Rifabutin
Rifabutin-associated uveitis in an immunosuppressed pediatric patient without acquired immunodeficiency syndrome, 872

Risk assessment
Polymerase chain reaction–based risk assessment for Wilms tumor in sporadic aniridia, 687

Risk factors
Acquired pit of the optic nerve: A risk factor for progression of glaucoma, 457
Allergic conjunctivitis as a risk factor for regression and haze after photorefractive keratectomy, 54

Rubeosis
Cone b-wave implicit time as an early predictor of rubeosis in central retinal vein occlusion, 247

S

Sclera
Human sclera: Thickness and surface area, 237
Minocycline-induced scleral, dental, and dermal pigmentation, 396
Visual function after foveal translocation with scleral shortening in patients with myopic neovascular maculopathy, 647

Strabismus
Unilateral peripapillary myelinated retinal nerve fibers associated with strabismus, amblyopia, and myopia, 554

Streptococcus pyogenes
Necrotizing fasciitis caused by group A streptococcus infection after laser blepharoplasty, 265

Sturge-Weber syndrome
Ultrasound biomicroscopy in Sturge-Weber–associated glaucoma, 119

Surface properties
Real-time telemedicine in the clinical assessment of the ocular surface, 388
Viscosity-dependent fluid dynamics of eyedrops on the ocular surface, 386

Sutures
Simplified technique for suturing a temporary keratoprosthesis for pars plana vitrectomy, 251

Syphilis
Vitritis as the primary manifestation of ocular syphilis in patients with HIV infection, 306

T

Tamoxifen
Long-term tamoxifen citrate use and potential ocular toxicity, 493

Telemedicine
Real-time telemedicine in the clinical assessment of the ocular surface, 388

Temporal arteritis
Occult giant cell arteritis: Ocular manifestations, 521
Ocular manifestations of giant cell arteritis, 509

Tenon's capsule
The effect of deep posterior subtenon injection of corticosteroids on intraocular pressure, 158

Tetrodotoxin
Experimental study of tetrodotoxin, a long-acting topical anesthetic, 481

Thiabendazole
Antihelminthic drugs in diffuse unilateral subacute neuroretinitis, 109

Tick infestations
Tick infestation of the eyelid, 263

Timolol
Comparison of the effect of latanoprost 0.005% and timolol 0.5% on the calculated ocular perfusion pressure in patients with normal-tension glaucoma, 585

Topography
Corneal thickness and curvature in normal-tension glaucoma, 164
Human sclera: Thickness and surface area, 237
The prediction of surgically induced refractive change from corneal topography, 44
The topographic distribution of the first sites of diabetic retinal neovascularization, 704

Trabeculectomy
Combined trabeculectomy and phacoemulsification: A one-site vs a two-site approach, 334

Transplants
Macular translocation (editorial), 698
Translocation of the retina for management of subfoveal choroidal neovascularization: I. Experimental studies in the rabbit eye, 627
Translocation of the retina for management of subfoveal choroidal neovascularization: II. A preliminary report in humans, 635
The use of processed pericardial tissue in anterior ocular segment reconstruction, 549

Visual function after foveal translocation with scleral shortening in patients with myopic neovascular maculopathy, 647

Treatment outcome
The Madurai Intraocular Lens Study. I: A randomized clinical trial comparing complications and vision outcomes of intracapsular cataract extraction with posterior chamber intraocular lens, 1

The Madurai Intraocular Lens Study. II: Clinical outcomes, 14

The Madurai Intraocular Lens Study. III: Visual functioning and quality of life outcomes, 26

Visual function after foveal translocation with scleral shortening in patients with myopic neovascular maculopathy, 647

Trochlear nerve
Bilateral trochlear nerve palsy with arachnoid cyst of the quadrigeminal cistern, 269

U

Ultrasonics
Ultrasound biomicroscopy in Sturge-Weber–associated glaucoma, 119

Very high frequency ultrasound analysis of a new phakic posterior chamber intraocular lens in situ, 725

Uveal neoplasms
Histopathologic characteristics of uveal melanomas in eyes enucleated from the Collaborative Ocular Melanoma Study. COMS Report No. 6, 745

Surgical removal of solitary hepatic metastasis from choroidal melanoma, 407

Ten-year follow-up of helium ion therapy for uveal melanoma, 81

Uveitis
Rifabutin-associated uveitis in an immunosuppressed pediatric patient without acquired immunodeficiency syndrome, 872

Uveitis associated with human immunodeficiency virus infection, 301

V

VACTERL association
Congenital corneal anesthesia in children with the VACTERL association, 96

Vascular diseases
Presumed macular choroidal watershed vascular filling, choroidal neovascularization, and systemic vascular disease in patients with age-related macular degeneration, 71

Viscosity
Viscosity-dependent fluid dynamics of eyedrops on the ocular surface, 386

Vision
Visual function after foveal translocation with scleral shortening in patients with myopic neovascular maculopathy, 647

Vision disorders
Digoxin visual toxicity with therapeutic blood levels of digoxin, 406

Severe vision loss and neovascular glaucoma complicating superior ophthalmic vein approach to carotid-cavernous sinus fistula (correspondence), 883

Vision, monocular
Threshold perimetry of each eye with both eyes open in patients with monocular functional (nonorganic) and organic vision loss, 957

Visual fields
Clinical classification of glaucomatous visual field loss by frequency doubling perimetry, 830

The effects of cataract extraction on the visual field of eyes with chronic open-angle glaucoma, 325

Identification of glaucoma-related visual field abnormality with the screening protocol of frequency doubling technology, 819

Mapping structural to functional damage in glaucoma with standard automated perimetry and confocal scanning laser ophthalmoscopy, 436

The relationship between progression of visual field defects and retrobulbar circulation in patients with glaucoma (correspondence), 566

Vitamin A
Association of xerophthalmia, flecked retina, and pseudotumor cerebri caused by hypovitaminosis A, 708

Vitrectomy
Simplified technique for suturing a temporary keratoprosthesis for pars plana vitrectomy, 251

Vitrectomy in patients with decreased visual acuity secondary to asteroid hyalosis, 703

Vitreoretinopathy, proliferative
Gelatinase B in proliferative vitreoretinal disorders, 844

Osseous metaplasia in proliferative vitreoretinopathy, 558

Vitreous body
Dexamethasone concentration in vitreous and serum after oral administration, 673

The effect of aqueous humor suppressants on intravitreal gas bubble duration in rabbits, 701

Predictive value of floaters in the diagnosis of posterior vitreous detachment, 113

Transient vitreous inflammatory reactions associated with combination antiretroviral therapy in patients with AIDS and cytomegalovirus retinitis, 292

Vitritis as the primary manifestation of ocular syphilis in patients with HIV infection, 306

W

Wilms tumor
Polymerase chain reaction–based risk assessment for Wilms tumor in sporadic aniridia, 687

X

Xerophthalmia
Association of xerophthalmia, flecked retina, and pseudotumor cerebri caused by hypovitaminosis A, 708

AUTHOR INDEX

A

AABERG, S. Y.: See OLSEN, T. W., 237

AABERG, T. M., SR.: See YOON, Y. D., 558

ABBOTT, R. L.: See MORROW, G. L., 396

ABELSON, M. B., and SPITALNY, L.: Combined analysis of two studies using the conjunctival allergen challenge model to evaluate olopatadine hydrochloride, a new ophthalmic antiallergic agent with dual activity, 797

ABITBOL, M.: See DOLLFUS, H., 397

ABU EL-ASRAR, A. M., DRALANDS, L., VECKENEER, M., GEBOES, K., MISSOTTEN, L., VAN AELST, I., OPDENAKKER, G.: Gelatinase B in proliferative vitreoretinal disorders, 844

AINBINDER, D. J., PARMLEY, V. C., MADER, T. H., and NELSON, M. L.: Infectious crystalline keratopathy caused by *Candida guilliermondii*, 723

AKATA, D.: See AKHAN, O., 877

AKHAN, O., BILGIÇ, S., AKATA, D., KIRATLI, H., and ÖZMEN, M. N.: Percutaneous treatment of an orbital hydatid cyst: A new therapeutic approach, 877

AKIBA, H.: See HASHIMOTO, M., 881

ALBERT, D. M., DIENER-WEST, M., ROBINSON, N. L., GROSSNIKLAUS, H. E., and GREEN, W. R., for the COLLABORATIVE OCULAR MELANOMA STUDY GROUP: Histopathologic characteristics of uveal melanomas in eyes enucleated from the Collaborative Ocular Melanoma Study. COMS Report No. 6, 745

ALEXANDER, J.: See DE JUAN, E., JR., 635

ALWARD, W. L. M., SEMINA, E. V., KALENAK, J. W., HÉON, E., SHETH, B. P., STONE, E. M., and MURRAY, J. C.: Autosomal dominant iris hypoplasia is caused by a mutation in the Rieger syndrome (RIEG/PITX2) gene, 98

AMOUYEL, P.: See SOUIED, E. H., 353

ANDREASSON, S.: See LARSSON, J., 247

ANTON, A., YAMAGISHI, N., ZANGWILL, L., SAMPLE, P. A., and WEINREB, R. N.: Mapping structural to functional damage in glaucoma with standard automated perimetry and confocal scanning laser ophthalmoscopy, 436

APFELSTEDT-SYLLA, E.: See SEELIGER, M., 214

APPLE, D. J.: See PENG, Q., 621

ARANGO, S.: See SPONSEL, W. E., 830

ARNOULD, V. J.: See KERRISON, J. B., 64

ASARI, S.: See INOUE, T., 721

ATAKA, S.: See SHIRAKI, K., 103

AZAR, R. G.: See JONES, S. S., 465

B

BABER, W. B.: See ROSS, R. D., 71

BABIGHIAN, S.: See PANOZZO, G., 708

BADR, I. A., BASAFFAR, S.,, JABAK, M., and WAGONER, M. D.: Meesmann corneal epithelial dystrophy in a Saudi Arabian family, 182

BAILEY, I. L.: The Low Vision Handbook, by Brown, B. (book review), 126

BAJKA, J. D.: See LANDAU, K., 605

BANGDIWALA, S.: See NATCHIAR, G. N., 1

BANGDIWALA, S.: See PRAJNA, N. V., 14

BANKER, A. S.: See MUELLER, A. J., 158

BARILE, G. R.: See JEWELEWICZ, D. A., 872

BARNHORST, D. A., JR.: See Dhaliwal, D. K., 488

BAROFSKY, J. M.: See ROSS, R. D., 71

BARTON, J. J. S.: See KIRIAKOPOULOS, E. T., 401

BASAFFAR, A.: See BADR, I. A., 182

BAUDRIMONT, M.: See BORDERIE, V. M., 256

BAUER, B.: See LARSSON, J., 247

BELFORT, R., JR.: See CASELLA, A. M. B., 109

BELLMANN, C.: See HOLZ, F. G., 227

BELMONT, S. C.: See KIM, D. Y., 725

BENDEL, R. E.: See LEMON, L. C., 340

BENLIAN, P.: See SOUIED, E. H., 353

BHAVSAR, A. R.: See SMITH, R. J., 251

BIGORIE, B.: See SOUIED, E. H., 100

BILGIÇ, S.: See AKHAN, O., 877

BIOUSSE, V., MENDICINO, M. E., SIMON, D. J., and NEWMAN, N. J.: The ophthalmology of intracranial vascular abnormalities, 527

BISSEN-MIYAJIMA, H.: See Yang, H.-Y., 54

BLUMENFELD, L. C., SIATKOWSKI, M., JOHNSON, R. A., FEUER, W. J., and FLYNN, J. T.: Retinopathy of prematurity in multiple-gestation pregnancies, 197

BOLDT, H. C.: See OH, K. T., 560

BONORA, A.: See PANOZZO, G., 708

BORDERIE, V. M., BAUDRIMONT, M., VIGNAL, C., and LAROCHE, L.: The complication of retained intraocular recipient corneal button after penetrating keratoplasty, 256

BORNSTEIN, R.: See GORIN, M. B., 493

BOWMAN, D. M.: See GORIN, M. B., 493

BRESSLER, N. M.: See DE JUAN, E., JR., 635

BRESSLER, N. M.: See LOEWENSTEIN, A., 657

BROADWAY, D. C., DRANCE, S. M., PARFITT, C. M., MIKELBERG, F. S.: The ability of scanning laser ophthalmoscopy to identify various glaucomatous optic disk appearances, 593

BROADWAY, D. C., GRIERSON, I., and HITCHINGS, R. A.: Local effects of previous conjunctival incisional surgery and the subsequent outcome of filtration surgery, 805

© 1998 BY ELSEVIER SCIENCE INC. ALL RIGHTS RESERVED.

0002-9394/98/$19.00
PII S0002-9394(98)0199-8

BROOK, I., and FRAZIER, E. H.: Aerobic and anaerobic microbiology of dacryocystitis, 552

BROWN, S.: See JEWELEWICZ, D. A., 872

BRUNNER, H. G.: See CRUYSBERG, J. R. M., 96

BUDENZ, D. L.: See CHEN, P. P., 325

BULLOCK, J. D., and WARWAR, R. E.: A system for classifying mechanical injuries of the eye (globe) (correspondence), 565

BURK, R. O. W.: See HOLZ, F. G., 227

BURSELL, S.-E.: Reply to GRUNWALD, J. E.: Vascular endothelial growth factor and severity of nonproliferative diabetic retinopathy mediate retinal hemodynamics in vivo: A potential role for vascular endothelial growth factor in the progression of diabetic retinopathy, 731

BUTRUS, S. I.: See YOO, R. T., 390

C

CAMPBELL, J. P.: See YOO, R. T., 390

CAPEÁNS, C., SANTOS, L., SÁNCHEZ-SALORIO, M., FORTEZA, J.: Iris metastasis from endometrial carcinoma, 729

CAPPARELLI, E.: See MUELLER, A. J., 158

CAPRIOLI, J.: Reply to QUIGLEY, H. A., and WEENE, L. E.: Recognizing structural damage to the optic nerve head and nerve fiber layer in glaucoma (correspondence), 564

CAPRIOLI, J.: See UGURLU, S., 457

CASELLA, A. M. B., FARAH, M. E., and BELFORT, R., JR.: Antihelminthic drugs in diffuse unilateral subacute neuroretinitis, 109

CASTRO, J.: See CHAR, D. H., 81

CATE, E. A.: See SOLOMON, K. D., 36

CHAN, W.-K.: See SMITH, R. J., 44

CHANDRAKANTH, K. W.: See PRAJNA, N. V., 14

CHANG, C. W., RAO, N. A., and STOUT, J. T.: Histopathology of the eye in diffuse neonatal hemangiomatosis, 868

CHAR, D. H., KROLL, S. M., and CASTRO, J.: Ten-year follow-up of helium ion therapy for uveal melanoma, 81

CHAR, D. H.: See TUNC, M., 875

CHEN, P. P., and BUDENZ, D. L.: The effects of cataract extraction on the visual field of eyes with chronic open-angle glaucoma, 325

CHEN, S.-J., CHUNG, Y.-M., and LIU, J.-H.: Endogenous *Candida* endophthalmitis after induced abortion, 873

CHIANG, I-P.: See HU, F.-R., 717

CHIKUDA, M.: See NISHIO, M., 712

CHIOU, A. G.-Y.: See UNDERDAHL, J. P., 266

CHORICH, L. J., III, DAVIDORF, F. H., CHAMBERS, R. B., and WEBER, P. A.: Bungee cord-associated ocular injuries, 270

CHUNG, Y.-M.: See CHEN, S.-J., 873

CIULLA, T. A.: See Krzystolik, M. G., 245

COCKERHAM, K. P.: Ophthalmic Plastic, Reconstructive, and Orbital Surgery, by Stephenson, C. M. (book review), 275

COHEN, A. F.: See WEIJTENS, O., 673

COHEN, G.: See ROSS, R. D., 71

COLEMAN, D. J.: See KIM, D. Y., 725

COLLABORATIVE OCULAR MELANOMA STUDY GROUP: The Collaborative Ocular Melanoma Study (COMS) randomized trial of pre-enucleation radiation of large choroidal melanoma. I: Characteristics of patients enrolled and not enrolled. COMS Report No. 9, 767

COLLABORATIVE OCULAR MELANOMA STUDY GROUP; The Collaborative Ocular Melanoma Study (COMS) randomized trial of pre-enucleation radiation of large choroidal melanoma. II: Initial mortality findings. COMS Report No. 10, 779

COSCAS, G.: See SOUIED, E. H., 100, 353

COSTANTINO, J. P.: See GORIN, M. B., 493

CRANDALL, A. S.: See OLSON, R. J., 612

CRICHTON, A.: See DRANCE, S. M., 585

CRISTOL, S. M.: See JONES, S. S., 465

CRUYSBERG, J. R. M., DRAAIJER, R. W., PINCKERS, A., and BRUNNER, H. G.: Congenital corneal anesthesia in children with the VACTERL association, 96

CUNNINGHAM, E. T.: See SILVERSTEIN, B. E., 411

CURSIEFEN, C., KÜCHLE, M., SCHEURLEN, W., and NAUMANN, G. O. H.: Bilateral zonular cataract associated with the mitochondrial cytopathy of Pearson syndrome, 260

CZYZ, C. N.: See GREVEN, C. M., 360

D

DAMJI, K. F.: See GUPTA, S. K., 547

DAS, G. K.: See PANDA, A., 59

DAVIS, J. L.: See FISHBURNE, B. C., 104

DAVIS, J. L.: See LEVINSON, R. D., 312

DAY, R.: See GORIN, M. B., 493

DE BECKER, I.: See GUPTA, S. K., 687

DEJACO, C.: See RUHSWURM, I., 680

DE JUAN, E., JR., LOEWENSTEIN, A., BRESSLER, N. M., and ALEXANDER, J.: Translocation of the retina for management of subfoveal choroidal neovascularization: II. A preliminary report in humans, 635

DE JUAN, E., JR.: See IMAI, K., 627

DE JUAN, E., JR.: See LOEWENSTEIN, A., 657

DHALIWAL, D. K., BARNHORST, D. A., JR., ROMANOWSKI, E., REHKOPF, P. G., and GORDON, Y. J.: Efficient reactivation of latent herpes simplex virus type 1 infection by excimer laser keratectomy in the experimental rabbit ocular model, 488

DIENER-WEST, M.: See ALBERT, D. M., 745

DILLON, W. P., JR.: See PARSA, C. F., 399

DIMITROV, N. V.: See GORIN, M. B., 493

DOCO-FENZY, M: See DOLLFUS, H., 397

DOLLFUS, H., JOANNY-FLINOIS, O., DOCO-FENZY, M.,

VEYRE, L., JOANNY-FLINOIS, L., KHOURY, M., JONVEAUX, P., ABITBOL, M., and DUFIER, J.-L.: Gillespie syndrome phenotype with a t(X;11)(p22.32; p12) de novo translocation, 397

DORNIC, D. I., THOMAS, J. M., and LASS, J. H.: Topical diclofenac sodium in the management of anesthetic abuse keratopathy, 719

DRAAIJER, R. W.: See CRUYSBERG, J. R. M., 96

DRALANDS, L.: See ABU EL-ASRAR, A. M., 844

DRANCE, S. M., CRICHTON, A., and MILLS, R. P.: Comparison of the effect of latanoprost 0.005% and timolol 0.5% on the calculated ocular perfusion pressure in patients with normal-tension glaucoma, 585

DRANCE, S. M., and YAMAZAKI, Y.: Reply to HESSE, R. J.: The relationship between progression of visual field defects and retrobulbar circulation in patients with glaucoma (correspondence), 566

DRANCE, S. M.: See BROADWAY, D. C., 593

DUFIER, J.-L.: See DOLLFUS, H., 397

DU LAC, S.: See PARSA, C. F., 399

DUNCAN, J. L.: See SCHWARTZ, D. M., 481

DUNCAN, K. G.: See SCHWARTZ, D. M., 481

E

EAGLE, R. C., JR: See GÜNDÜZ, K., 870

EDELHAUSER, H. F.: See JONES, S. S., 465

EDELHAUSER, H. F.: See OLSEN, T. W., 237

ELIOTT, D.: See LEWIS, J. M., 261

ELLWEIN, L. B.: See FLETCHER, A., 26

ELLWEIN, L. B.: See NATCHIAR, G. N., 1

ELLWEIN, L. B.: See PRAJNA, N. V., 14

ERB, C.: See WOHLRAB, T.-M., 693

F

FARAH, M. E.: See CASELLA, A. M. B., 109

FEINGOLD, J.: See SOUIED, E. H., 353

FEMAN, S. S., LEONARD-MARTIN, T. C., and SEMCHYSHYN, T. M.: The topographic distribution of the first sites of diabetic retinal neovascularization, 704

FEUER, W. J.: See BLUMENFELD, L. C., 197

FIELDS, H. L.: See SCHWARTZ, D. M., 481

FISHBURNE, B. C., MITRANI, A. A., and DAVIS, J. L.: Cytomegalovirus retinitis after cardiac transplantation, 104

FISHER, B.: See GORIN, M. B., 493

FLACH, A.: Ocular Therapeutics. Pharmacology and Clinical Application, by Fechner, P. U., and Teishmann, K. D. (book review), 735

FLETCHER, A., VIJAYKUMAR, V., SELVARAJ, S., THULASIRAJ, E. D., and ELLWEIN, L. B.: The Madurai intraocular lens study III: Visual functioning and quality of life outcomes, 26

FLYNN, H. W., JR.: See McDONOUGH, R. L., 706

FLYNN, J. T.: See BLUMENFELD, L. C., 197

FORTEZA, A. M.: See McDONOUGH, R. L., 706

FORTEZA, J.: See CAPEÁNS, C., 729

FRAZIER, E. H.: See BROOK, I., 552

FREDERICK, A. R., JR.: See KRZYSTOLIK, M. G., 245

FREEMAN, W. R.: See MUELLER, A. J., 158

FRIEDBERG, D. N.: See LEVINSON, R. D., 312

FRIEDBERG, D. N.: See ROSBERGER, D. F., 301

FUJIKADO, T., OHJI, M., SAITO, Y., HAYASHI, A., and TANO, Y.: Visual function after foveal translocation with scleral shortening in patients with myopic neovascular maculopathy, 647

FUJISHIMA, H.: See YANG, H.-Y., 54

FUKAGAWA, K.: See SHIMMURA, S., 388

G

GEBHARDT, D. O. E.: Topical mitomycin C for the treatment of conjunctival and corneal epithelial dysplasia and neoplasia (correspondence), 416

GEBOES, K.: See ABU EL-ASRAR, A. M., 844

GEROSKI, D. H.: See JONES, S. S., 465

GEROSKI, D. H.: See OLSEN, T. W., 237

GIRKIN, C. A., and PERRY, J. D.: Essentials of Eye Care. The Johns Hopkins Wilmer Handbook., by Varma, R. (ed.) (book review), 420

GITTER, K. A.: See ROSS, R. D., 71

GLOVER, K. B.: See SHIN, D. H., 346

GOMOLIN, J. E. S.: See GORIN, M. B., 493

GONZALES-CORTÉS, J.: See JONAS, J. B., 137

GONZALEZ, C.: See LEE, M. S., 554

GOODMAN, D. F.: Simplifying Phacoemulsification. Safe and Efficient Methods for Cataract Surgery. Fifth edition., by Koch, P. S. (book review), 274

GORDON, J.: See MORSE, L. S., 568

GORDON, M. E.: See LIM-BON-SIONG, E., 169

GORDON, Y. J.: See DHALIWAL, D. K., 488

GORIN, M. B., DAY, R., COSTANTINO, J. P., FISHER, B., REDMOND, C. K., WICKERHAM, L., GOMOLIN, J. E. S., MARGOLESE, R. G., MATHEN, M. K., BOWMAN, D. M., KAUFMANN, D., DIMITROV, N. V., SINGERMAN, L. J., BORNSTEIN, R., and WOLMARK, N.: Long-term tamoxifen citrate use and potential ocular toxicity, 495

GORN, R. A.: See KIRIAKOPOULOS, E. T., 401

GOTO, E.: See SHIMMURA, S., 386

GRANT, E.: See PARSA, C. F., 399

GREEN, R.: See SAMAHA, A., 263

GREEN, W. R.: See ALBERT, D. M., 745

GREENBERG, J.: See NOBLE, K. G., 108

GREVEN, C. M., SLUSHER, M. M., and CZYZ, C. N.: The natural history of macular pseudoholes, 360

GRIERSON, I.: See BROADWAY, D. C., 805

GROOM, M., KAY, M. D., VICINANZA-ADAMI, C., and SANTINI, R.: Optic tract syndrome secondary to metastatic breast cancer, 115

GROSSNIKLAUS, H. E.: See ALBERT, D. M., 745

GROSSNIKLAUS, H. E.: See YOON, Y. D., 558

GRÜNDLER, A. E.: See JONAS, J. B., 137

GRUNWALD, J. E.: Vascular endothelial growth factor and severity of nonproliferative diabetic retinopathy mediate retinal hemodynamics in vivo: A potential role for vascular endothelial growth factor in the progression of diabetic retinopathy, 731

GUERNSEY, D. L.: See GUPTA, S. K., 547, 687

GÜNDÜZ, K., SHIELDS, J. A., SHIELDS, C. L., EAGLE, R. C., JR., and NATHAN, F.: Cutaneous angiosarcoma with eyelid involvement, 870

GÜNDÜZ, K., SHIELDS, J. A., SHIELDS, C. L., SATO, T., and MASTRANGELO, M. J.: Surgical removal of solitary hepatic metastasis from choroidal melanoma, 407

GUPTA, N., KIKKAWA, D. O., LEVI, L., and WEINREB, R. N.: Reply to MILLER, N. R.: Severe vision loss and neovascular glaucoma complicating superior ophthalmic vein approach to carotid-cavernous sinus fistula (correspondence), 884

GUPTA, R. S.: See WAX, M. B., 145

GUPTA, S. K., DE BECKER, I., GUERNSEY, D. L., NEUMANN, P. E.: Polymerase chain reaction–based risk assessment for Wilms tumor in sporadic aniridia, 687

GUPTA, S. K., HODGE, W. G., DAMJI, K. F., GUERNSEY, D. L., and NEUMANN, P. E.: Lattice corneal dystrophy type 1 in a Canadian kindred is associated with the $Arg^{124}\rightarrow$ Cys mutation in the kerato-epithelin gene, 547

H

HARADA, K.: See HASHIMOTO, M., 881

HARLEY, J. B.: See WAX, M. B., 145

HARRER, M.: See SEITZ, B., 252

HASHIMOTO, M., and OHTSUKA, K.: Bilateral internal ophthalmoplegia as a feature of oculomotor fascicular syndrome disclosed by magnetic resonance imaging, 121

HASHIMOTO, M., OHTSUKA, K., AKIBA, H., and HARADA, K.: Vascular compression of the oculomotor nerve disclosed by thin-slice magnetic resonance imaging, 881

HASHIMOTO, M.: See OHTSUKA, K., 268

HATSIS, A. P.: See KIM, D. Y., 725

HAYASHI, A.: See FUJIKADO, T., 647

HAYASHI, F.: See HAYASHI, K., 837

HAYASHI, H.: See HAYASHI, K., 837

HAYASHI, K., HAYASHI, H., NAKAO, F., and HAYASHI, F.: In vivo quantitative measurement of posterior capsule opacification after extracapsular cataract surgery, 837

HAYASHI, K.: See INOUE, T., 721

HAYASHI, Y.: See IKEDA, T., 710

HAYREH, S. S., PODHAJSKY, P. A., and ZIMMERMAN, B.: Occult giant cell arteritis: Ocular manifestations, 521

HAYREH, S. S., PODHAJSKY, P. A., and ZIMMERMAN, B.: Ocular manifestations of giant cell arteritis, 509

HEFETZ, L.: See MORAD, Y., 164

HEINEMANN, M.-H.: See ROSBERGER, D. F., 301

HENMI, K.: See SHIRAKI, K., 103

HENNIG, A.: See PENG, Q., 621

HÉON, E.: See ALWARD, W. L. M., 98

HERNANDEZ, R.: See WYSE, T., 334

HESSE, R. J.: The relationship between progression of visual field defects and retrobulbar circulation in patients with glaucoma (correspondence), 566

HIRSCHBEIN, M. J.: Radiotherapy of Ocular Disease. Frontiers of Radiation Therapy and Oncology. Volume 30., by Wiegel, T., Bornfeld, N., Foerster, M. H., and Hinkelbein, W. (eds.) (book review), 273

HITCHINGS, R. A.: See BROADWAY, D. C., 805

HODGE, W.: See MARGOLIS, T. P., 285

HODGE, W. G.: See GUPTA, S. K., 547

HOLLAND, G. N.: Pieces of a puzzle: Toward a better understanding of intraocular inflammation associated with human immunodeficiency virus disease (editorial), 383

HOLLAND, G. N.: See LEVINSON, R. D., 312

HOLLAND, G. N.: See ROSBERGER, D. F., 301

HOLLAND, G. N.: See SHERMAN, M. D., 852

HOLLAND, G. N.: See ZEGANS, M. E., 292

HOLSCLAW, D. S.: See SHERMAN, M. D., 852

HOLZ, F. G., BELLMANN, C., ROHRSCHNEIDER, K., BURK, R. O. W., and VÖLCKER, H. E.: Simultaneous confocal scanning laser fluorescein and indocyanine green angiography, 227

HORIGUCHI, M.: See MIYAKE, K., 429

HORIGUCHI, M.: See TERASAKI, H., 204

HOYT, W. F.: See PARSA, C. F., 399

HU, F.-R., LIN, J.-C., CHIANG, I-P., and YEH, K.-H.: T-cell malignant lymphoma with conjunctival involvement, 717

HU, F.-R., WU, M.-J., and KUO, S.-H.: Interferon treatment for corneolimbal squamous dysplasia, 118

HUGHES, B. A.: See LEMON, L. C., 340

HUGHES, B. A.: See SHIN, D. H., 346

HUNT, H. H.: See SOLOMON, K. D., 36

I

IKEDA, T., SATO, K., KATANO, T., and HAYASHI, Y.: Examination of patients with cystoid macular edema using a scanning laser ophthalmoscope with infrared light, 710

IMAI, K., LOEWENSTEIN, A., and DE JUAN, E., JR.: Translocation of the retina for management of subfoveal choroidal neovascularization: I. Experimental studies in the rabbit eye, 627

INGRAHAM, H. J., and SCHOENLEBER, D. B.: Epibulbar molluscum contagiosum, 394

INODA, S.: See KAKEHASHI, A., 113

INOUE, T., ASARI, S., TAHARA, K., HAYASHI, K., KIRI-

TOSHI, A., and SHIMOMURA, Y.: *Acanthamoeba* keratitis with symbiosis of *Hartmannella* ameba, 721

ITO, Y.: See TERASAKI, H., 204

ITOH, S.: See Yang, H.-Y., 54

J

JABAK, M.: See BADR, I. A., 182

JACOBSON, M. A.: See ZEGANS, M. E., 292

JEWELEWICZ, D. A., SCHIFF, W. M., BROWN, S., and BARILE, G. R.: Rifabutin-associated uveitis in an immunosuppressed pediatric patient without acquired immunodeficiency syndrome, 872

JIAN, G.: See MUELLER, A. J., 158

JOANNY-FLINOIS, L.: See DOLLFUS, H., 397

JOANNY-FLINOIS, O.: See DOLLFUS, H., 397

JOHNSON, R. A.: See BLUMENFELD, L. C., 197

JONAS, J. B., GRÜNDLER, A. E., and GONZALES-CORTÉS, J.: Pressure-dependent neuroretinal rim loss in normal-pressure glaucoma, 137

JONES, M. R.: See SCHWARTZ, D. M., 481

JONES, M. R.: See SILVERSTEIN, B. E., 411

JONES, S. S., AZAR, R. G., CRISTOL, S. M., GEROSKI, D. H., WARING, G. O., III, STULTING, R. D., THOMPSON, K. P., and EDELHAUSER, H. F.: Effects of laser in situ keratomileusis (LASIK) on the corneal endothelium, 465

JONVEAUX, P.: See DOLLFUS, H., 397

JORDAN, D. R., MAWN, L., and MARSHALL, D. H.: Necrotizing fasciitis caused by group A streptococcus infection after laser blepharoplasty, 265

JUZYCH. M. S.: See LEMON, L. C., 340

JUZYCH, M. S.: See SHIN, D. H., 346

K

KAKEHASHI, A., INODA, S., SHIMIZU, Y., MAKINO, S., and SHIMIZU, H.: Predictive value of floaters in the diagnosis of posterior vitreous detachment, 113

KALENAK, J. W.: See ALWARD, W. L. M., 98

KANAOKA, Y.: See SHIRAKI, K., 103

KAPLAN, J.: See SOUIED, E. H., 100, 353

KAPUSTA, M. A.: See KUO, I. C., 306

KARNER-HANUSCH, J.: See RUHSWURM, I., 680

KASS, M. A.: Normal-pressure glaucoma (editorial), 242

KATANO, T.: See IKEDA, T., 710

KAUFMANN, D.: See GORIN, M. B., 493

KAY, M. D.: See GROOM, M., 115

KAYE, S. B., MORTON, C. E., TONG, C. Y. W., O'DONNELL, N. P.: Echovirus keratoconjunctivitis, 187

KAZIM, M.: Smith's Ophthalmic Plastic and Reconstructive Surgery. Second edition., by Nesi, F. A., Lisman, R. D., and Levine, M. R. (book review), 569

KENNERDELL, J. S.: Thyroid Eye Disease. Third edition., by Char, D. H. (book review), 276

KERRISON, J. B.: An Atlas of Ophthalmic Trauma, by Spoor, T. C. (book review), 887

KERRISON, J. B., KOENEKOOP, R. K., ARNOULD, V. J., ZEE, D., and MAUMENEE, I. H.: Clinical features of autosomal dominant congenital nystagmus linked to chromosome 6p12, 64

KHOURY, M.: See DOLLFUS, H., 397

KIKKAWA, D. O.: See GUPTA, N., 884

KIM, C.: See LEMON, L. C., 340

KIM, C.: See SHIN, D. H., 346

KIM, D. Y., REINSTEIN, D. Z., SILVERMAN, R. H., NAJAFI, D. J., BELMONT, S. C., HATSIS, A. P., ROZAKIS, G. W., and COLEMAN, D. J.: Very high frequency ultrasound analysis of a new phakic posterior chamber intraocular lens in situ, 725

KIM, R.: See PRAJNA, N. V., 14

KIMURA, Y.: See MARUYAMA, Y., 666

KIRATLI, H.: See AKHAN, O., 877

KIRCHHOF, B.: See WIDDER, R. A., 392

KIRCHSCHLÄGER, B. M.: See LANDAU, K., 605

KIRIAKOPOULOS, E. T., GORN, R. A., and BARTON, J. J. S.: Small retinal hemorrhages as the only sign of an intracranial aneurysm, 401

KIRITOSHI, A.: See INOUE, T., 721

KISHI, S.: See MARUYAMA, Y., 666

KISHI, S.: See TAKAHASHI, K., 367

KLINTWORTH, G. K.: Reply to MALBRAN, E. S.: Macular corneal dystrophy in Saudi Arabia: A study of 56 cases and recognition of a new immunophenotype (correspondence), 417

KNORR, M.: See WOHLRAB, T.-M., 693

KOENEKOOP, R. K.: See KERRISON, J. B., 64

KONDO, M.: See TERASAKI, H., 204

KONISHI, M., YAMADA, M., and MASHIMA, Y.: Corneal ulcer associated with deposits of norfloxacin, 258

KRANEMANN, C. F., PAVLIN, C. J., and TROPE, G. E.: Ultrasound biomicroscopy in Sturge-Weber–associated glaucoma, 119

KRETSCHMANN, U.: See SEELIGER, M., 214

KRIEGLSTEIN, G. K.: See WIDDER, R. A., 392

KROLL, S. M.: See CHAR, D. H., 81

KRUPIN, T.: See WYSE, T., 334

KRUPSKY, S.: See MELAMED, S., 447

KRZYSTOLIK, M. G., CIULLA, T. A., and FREDERICK, A. R., JR.: Evolution of a full-thickness macular hole, 245

KÜCHLE, M., NGUYEN, N. X., SEITZ, B., LANGENBUCHER, A., and NAUMANN, G. O. H.: Blood-aqueous barrier after mechanical or nonmechanical excimer laser trephination in penetrating keratoplasty, 177

KÜCHLE, M.: See CURSIEFEN, C., 260

KUMAR, A.: See PANDA, A., 59

KUO, I. C., KAPUSTA, M. A., and RAO, N. A.: Vitritis as the

primary manifestation of ocular syphilis in patients with HIV infection, 306

KUO, S.-H.: See HU, F.-R., 118

KUPFER, C.: See NATCHIAR, G. N., 1

KUPFER, C. See PRAJNA, N. V., 14

KUS, M. M.: See SEITZ, B., 252

L

LAGARDE, J.-P.: See SOUIED, E. H., 353

LANDAU, K., BAJKA, J. D., and KIRCHSCHLÄGER, B. M.: Topless optic disks in children of mothers with type I diabetes mellitus, 605

LANE, H. C.: See NUSSENBLATT, R. B., 374

LANGENBUCHER, A.: See KÜCHLE, M., 177

LANGENBUCHER, A.: See SEITZ, B., 252

LAROCHE, L.: See BORDERIE, V. M., 256

LARSSON, J., ANDREASSON, S., and BAUER, B.: Cone c-wave implicit time as an early predictor of rubeosis in central retinal vein occlusion, 247

LASS, J. H.: See DORNIC, D. I., 719

LAUER, A. K., and RIMMER, S. O.: Eyelid laceration in a neonate by fetal monitoring spiral electrode, 715

LEE, M. S., and GONZALEZ, C.: Unilateral peripapillary myelinated retinal nerve fibers associated with strabismus, amblyopia, and myopia, 554

LEE, M. S., PASHA, M., and WEITZMAN, M.: The effect of aqueous humor suppressants on intravitreal gas bubble duration in rabbits, 701

LEMON, L. C., SHIN, D. H., KIM, C., BENDEL, R. E., HUGHES, B. A., and JUZYCH, M. S.: Limbus-based vs fornix-based conjunctival flap in combined glaucoma and cataract surgery with adjunctive mitomycin C, 340

LENTJES, E. G. W. M.: See WEIJTENS, O., 673

LEONARD-MARTIN, T. C.: See FEMAN, S. S., 704

LEVI, L.: See GUPTA, N., 884

LEVINSON, R. D., VANN, R., DAVIS, J. L., FRIEDBERG, D. N., TUFAIL, A., TERRY, B. T., LINDLEY, J. I., and HOLLAND, G. N.: Chronic multifocal retinal infiltrates in patients infected with human immunodeficiency virus, 312

LEVKOVITCH-VERBIN, H.: See MELAMED, S., 447

LEWIS, J. M., and ELIOTT, D.: Extrusion of an anterior chamber intraocular lens complicated by *Haemophilus* endophthalmitis, 261

LI, Z.: See WAX, M. B., 145

LIANG, C., PEYMAN, G. A., and SUN, G.: Toxicity of intraocular lidocaine and bupivacaine, 191

LIM-BON-SIONG, R., VALLURI, S., GORDON, M. E., and PEPOSE, J. S.: Efficacy and safety of the ProTek (Vifilcon A) therapeutic soft contact lens after photorefractive keratectomy, 169

LIN, J.-C.: See HU, F.-R., 717

LINDLEY, J. I.: See LEVINSON, R. D., 312

LIU, J.-H.: See CHEN, S.-J., 873

LOEWENSTEIN, A., SUNNESS, J. S., BRESSLER, N. M., MARSH, M. J., and DE JUAN, E., JR.: Scanning laser ophthalmoscope fundus perimetry after surgery for choroidal neovascularization, 657

LOEWENSTEIN, A.: See DE JUAN, E., JR., 635

LOEWENSTEIN, A.: See IMAI, K., 627

M

MACCUMBER, M. W.: Text Atlas of the Retina, by Hamilton, A. M. P., Gregson, R., and Fish, G. E. (book review), 735

MACHEMER, R.: Macular translocation (editorial), 698

MADER, T. H.: See AINBINDER, D. J., 723

MAKINO, S.: See KAKEHASHI, A., 113

MALBRAN, E. S.: Macular corneal dystrophy in Saudi Arabia: A study of 56 cases and recognition of a new immunophenotype (correspondence), 417

MALONEY, R. K.: See SMITH, R. J., 44

MA'LUF, R.: See SAMAHA, A., 263

MANNIS, M. J.: Excimer Laser Phototherapeutic Keratectomy, by Azar, D. T. (book review), 419

MANNIS, M. J.: Imagenes Diagnosticas en Oftalmologia, by Barraquer, R. I., Dukes, A. J., Espaillat, A., and Martinez-Grau, G. (book review), 571

MANNIS, M. J.: The Ophthalmoscope: Atlas. Volume 2, Part 1., by Keeler, C. R. (book review), 127

MANOHARAN, N.: See PRAJNA, N. V., 14

MARGOLESE, R. G.: See GORIN, M. B., 493

MARGOLIS, T. P., MILNER, M. S., SHAMA, A., HODGE, W., and SEIFF, S.: Herpes zoster ophthalmicus in patients with human immunodeficiency virus infection, 285

MARGOLIS, T. P.: See ZEGANS, M. E., 292

MARSH, M. J.: See LOEWENSTEIN, A., 657

MARSHALL, D. H.: See JORDAN, D. R., 265

MARTIN, T. J.: Threshold perimetry of each eye with both eyes open in patients with monocular functional (nonorganic) and organic vision loss, 857

MARTIN, T. J.: See NEVES, R. B., 879

MARUYAMA, Y., KIMURA, Y., KISHI, S., and SHIMIZU, K.: Serous detachment of the ciliary body in Harada disease, 666

MASHIMA, Y.: See KONISHI, M., 258

MASSOF, R. W.: Foundation of Low Vision: Clinical and Functional Perspectives, by Corn, A. L., and Koenig, A. J. (eds.) (book review), 886

MASTRANGELO, M. J.: See GÜNDÜZ, K., 407

MATHEN, M. K.: See GORIN, M. B., 493

MAUMENEE, I. H.: See KERRISON, J. B., 64

MAWN, L.: See JORDAN, D. R., 265

MCDONOUGH, R. L., FORTEZA, A. M., and FLYNN, H. W., JR.: Internal carotid artery dissection causing a branch retinal artery occlusion in a young adult, 706

MELAMED, S., LEVKOVITCH-VERBIN, H., KRUPSKY, S., and TREISTER, G.: Confocal tomographic angiogra-

phy of the optic nerve head in patients with glaucoma, 447

MENDICINO, M. E.: See BIOUSSE, V., 527

MENSAH, J.: See SPONSEL, W. E., 830

MEREDITH, T. A.: Choroidal melanoma: Diagnosis and management (editorial), 865

MEYER, M.: See WYSE, T., 334

MIKELBERG, F. S.: See BROADWAY, D. C., 593

MIKI, T.: See SHIRAKI, K., 103

MILLAR, M. A.: Refractive Surgery for Eye Care Paraprofessionals, by Gayton, J. L., and Kershner, R. (book review), 127

MILLER, N. R.: Color Atlas of Glaucoma, by Shields, M. B. (book review), 419

MILLER, N. R.: Severe vision loss and neovascular glaucoma complicating superior ophthalmic vein approach to carotid-cavernous sinus fistula (correspondence), 883

MILLER, N. R.: Wolff's Anatomy of the Eye and Orbit. Eighth edition., by Bron, A. J., Tripathi, R. C., and Tripathi, B. (book review), 571

MILLS, R. P.: Atlas of Visual Fields, by Budenz, D. L. (book review), 570

MILLS, R. P.: See DRANCE, S. M., 585

MILNER, M. S.: See MARGOLIS, T. P., 285

MISSOTTEN, L.: See ABU EL-ASRAR, A. M., 844

MITRANI, A. A.: See FISHBURNE, B. C., 104

MIYAKE, K., OTA, I., MIYAKE, S., and HORIGUCHI, M.: Liquefied aftercataract: A complication of continuous curvilinear capsulorhexis and intraocular lens implantation in the lens capsule, 429

MIYAKE, S.: See MIYAKE, K., 429

MIYAKE, Y.: See TERASAKI, H., 204

MORAD, Y., SHARON, E., HEFETZ, L., and NEMET, P.: Corneal thickness and curvature in normal-tension glaucoma, 164

MORIWAKI, M.: See SHIRAKI, K., 103

MORROW, G. L., and ABBOTT, R. L.: Minocycline-induced scleral, dental, and dermal pigmentation, 396

MORSE, L. S., REED, J. B., SCHWAB, I. R., GORDON, J.: Reply to TANGUILIG, G. G., RUTZEN, A. R., and ORTEGA-LARROCEA, G.: Regression of cytomegalovirus retinitis associated with protease-inhibitor treatment in patients with AIDS (correspondence), 568

MORSE, L. S.: See REED, J. B., 409

MORTON, C. E.: See KAYE, S. B., 187

MUELLER, A. J., JIAN, G., BANKER, A. S., RAHHAL, F. M., CAPPARELLI, E., and FREEMAN, W. R.: The effect of deep posterior subtenon injection of corticosteroids on intraocular pressure, 158

MULLEN, L.: See RABB, M. F., 502

MUNNICH, A.: See SOUIED, E. H., 100, 353

MURAOKA, K.: See TAKAHASHI, K., 367

MURRAY, J. C.: See ALWARD, W. L. M., 98

MUTTI, D. O.: Accommodation, Nearwork, and Myopia, by Ong, E. and Ciuffreda, K. (book review), 128

N

NAJAFI, D. J.: See KIM, D. Y., 725

NAKAMACHI, Y., NAKAMURA, M., FUJII, S., YAMAMOTO, M., and OKUBO, K.: Oguchi disease with sectoral retinitis pigmentosa harboring adenine deletion at position 1147 in the arrestin gene, 249

NAKAMURA, Y.: See OHTSUKA, K., 268, 403

NAKAO, F.: See HAYASHI, K., 837

NARENDRAN, V.: See PRAJNA, N. V., 14

NATCHIAR, G. N., THULASIRAJ, R. D., NEGREL, A. D., BANGDIWALA, S., RAHMATHALLAH, R., PRAJNA, N. V., ELLWEIN, L. B., and KUPFER, C.: The Madurai intraocular lens study I: A randomized clinical trial comparing complications and vision outcomes of intracapsular cataract extraction and extracapsular cataract extraction with posterior chamber intraocular lens, 1

NATHAN, F.: See GÜNDÜZ, K., 870

NAUMANN, G. O. H.: See CURSIEFEN, C., 260

NAUMANN, G. O. H.: See KÜCHLE, M., 177

NDUAGUBA, C.: See UGURLU, S., 457

NEGREL, A. D.: See NATCHIAR, G. N., 1

NELSON, M. L.: See AINBINDER, D. J., 723

NEMET, P.: See MORAD, Y., 164

NEUMANN, P. E.: See GUPTA, S. K., 547, 687

NEVES, R. B., YEATTS, R. P., and MARTIN, T. J.: Pneumo-orbital cyst after orbital fracture repair, 879

NEWMAN, N. J.: See BIOUSSE, V., 527

NGUYEN, N. X.: See KÜCHLE, M., 177

NISHI, K.: See NISHI, O., 545

NISHI, O., NISHI, K., and TAKAHASHI, E.: Capsular bag distention syndrome noted 5 years after intraocular lens implantation, 545

NISHIO, M., SUZUKI, T., CHIKUDA, M., and SATO, Y.: Scanning laser ophthalmoscopic findings in a patient with acute zonal occult outer retinopathy, 712

NOBLE, K. G.: Bilateral multifocal retinal arteriolar sheathing as the only ocular finding in hereditary amyloidosis, 111

NOBLE, K. G., and GREENBERG, J.: Appearance of birdshot retinochoroidopathy in a patient with myelodysplasia syndrome, 108

NOVAK, M. A.: See PARNES, R. E., 703

NUSSENBLATT, R. B., and LANE, H. C.: Human immunodeficiency virus disease: Changing patterns of intraocular inflammation, 374

O

O'DONNELL, J. J.: See ZEGANS, M. E., 292

O'DONNELL, N. P.: See KAYE, S. B., 187

OH, K. T., and PARK, D. W.: Acute posterior multifocal placoid pigment epitheliopathy with corneal stromal infiltrates, 556

OH, K. T., POLK, T. D., BOLDT, H. C., TURNER, J. F., JR.:

Systemic small noncleaved cell lymphoma presenting as a posterior choroidal mass, 560

OHJI, M.: See FUJIKADO, T., 647

OHTSUKA, K., HASHIMOTO, M., and NAKAMURA, Y.: Bilateral trochlear nerve palsy with arachnoid cyst of the quadrigeminal cistern, 268

OHTSUKA, K., NAKAMURA, Y., TAGAWA, Y., and YUKI, N.: Immunoadsorption therapy for Fisher syndrome associated with IgG anti-GQ_{1b} antibody, 403

OHTSUKA, K.: See HASHIMOTO, M., 121, 881

OLSEN, T. W., AABERG, S. Y., GEROSKI, D. H., and EDELHAUSER, H. F.: Human sclera: Thickness and surface area, 237

OLSON, R. J., and CRANDALL, A. S.: Prospective randomized comparison of phacoemulsification cataract surgery with a 3.2-mm vs a 5.5-mm sutureless incision, 612

OMAR, O. H. M.: See SHERMAN, M. D., 852

OPDENAKKER, G.: See ABU EL-ASRAR, A. M., 844

ORTEGA-LARROCEA, G.: See TANGUILIG, G. G., 567

OTA, I.: See MIYAKE, K., 429

ÖZMEN, M. N.: See AKHAN, O., 877

P

PALAO, S. W.: See ROSS, R. D., 71

PANDA, A., DAS, G. K., TULI, S. W., and KUMAR, A.: Randomized trial of intraoperative mitomycin C in surgery for pterygium, 59

PANOZZO, G., BABIGHIAN, S., and BONORA, A.: Association of xerophthalmia, flecked retina, and pseudotumor cerebri caused by hypovitaminosis A, 708

PARFITT, C. M.: See BROADWAY, D. C., 593

PARK, D. W.: See OH, K. T., 556

PARMLEY, V. C.: See AINBINDER, D. J., 723

PARNES, R. E., ZAKOV, Z. N., NOVAK, M. A., and RICE, T. A.: Vitrectomy in patients with decreased visual acuity secondary to asteroid hyalosis, 703

PARSA, C. F., GRANT, E., DILLON, W. P., Jr, du LAC, S., HOYT, W. F.; Absence of the abducens nerve in Duane syndrome verified by magnetic resonance imaging, 399

PASHA, M.: See LEE, M. S., 701

PAVLIN, C. J.: See KRANEMANN, C. F., 119

PENG, Q., HENNIG, A., VASAVADA, A. R., and APPLE, D. J.: Posterior capsular plaque: A common feature of cataract surgery in the developing world, 621

PENNE, R. B.: Cicatrising Conjunctivitis., by Bernauer, W., Dart, J. K. G., and Elder, M. J. (eds.) (book review), 734

PEPOSE, J. S.: See LIM-BON-SIONG, E., 169

PERRY, J. D. See GIRKIN, C. A., 420

PEYMAN, G. A.: See LIANG, C., 191

PINCKERS, A.: See CRUYSBERG, J. R. M., 96

PODHAJSKY, P. A.: See HAYREH, S. S., 509, 521

POLK, T. D.: See OH, K. T., 560

PRAJNA, N. V., CHANDRAKANTH, K. S., KIM, R., NARENDRAN, V., SELVAKUMAR, S., ROHINI, G., MANOHARAN, N., BANGDIWALA, S. I., ELLWEIN, L. B., and KUPFER, C.: The Madurai intraocular lens study II: Clinical outcomes, 14

PRAJNA, N. V.: See NATCHIAR, G. N., 1

Q

QUIGLEY, H. A.: Identification of glaucoma-related visual field abnormality with the screening protocol of frequency doubling technology, 819

QUIGLEY, H. A.: Recognizing structural damage to the optic nerve head and nerve fiber layer in glaucoma (correspondence), 563

R

RABB, M. F., MULLEN, L., YELCHITS, S., UDAR, N., and SMALL, K. W.: A North Carolina macular dystrophy phenotype in a Belizean family maps to the MCDR1 locus, 502

RAGGE, N. K., RAVINE, D., and WILKIE, A. O. M.: Dominant inheritance of optic pits (correspondence), 124

RAHHAL, F. M.: See MUELLER, A. J., 158

RAHMATHALLAH, R.: See NATCHIAR, G. N., 1

RAO, N. A.: See CHANG, C. W., 868

RAO, N. A.: See KUO, I. C., 306

RAVINE, D.: See RAGGE, N. K., 124

REDMOND, C. K.: See GORIN, M. B., 493

REED, J. B., MORSE, L. S., AND SCHWAB, I. R.: High-dose intravenous pulse methylprednisolone hemisuccinate in acute Behçet retinitis, 409

REED, J. B.: See MORSE, L. S., 568

REHKOPF, P. G.: See DHALIWAL, D. K., 488

REINSTEIN, D. A.: See KIM, D. Y., 725

REN, J.: See SHIN, D. H., 346

RICE, T. A.: See PARNES, R. E., 703

RIMMER, S. O.: See LAUER, A. K., 715

RIVERA, P. M.: See YOO, R. T., 390

ROBINSON, N. L.: See ALBERT, D. M., 745

ROHINI, G.: See PRAJNA, N. V., 14

ROHRBACH, J. M.: See WOHLRAB, T.-M., 693

ROHRSCHNEIDER, K.: See HOLZ, F. G., 227

ROMANO, C.: See WAX, M. B., 145

ROMANOWSKI, E.: See DHALIWAL, D. K., 488

ROMIJN, F. P. H. T. M.: See WEIJTENS, O., 673

ROSBERGER, D. F., HEINEMANN, M.-H., FRIEDBERG, D. N., and HOLLAND, G. N.: Uveitis associated with human immunodeficiency virus infection, 301

ROSENBERG, L. F.: See WYSE, T., 334

ROSS, R. D., BAROFSKY, J. M., COHEN, G., BABER, W. B., PALAO, S. W., and GITTER, K. A.: Presumed macular choroidal watershed vascular filling, choroidal neovascularization, and systemic vascular disease in patients with age-related macular degeneration, 71

RÖTIG, A.: See SOUIED, E. H., 100

ROZAKIS, G. W.: See KIM, D. Y., 725

RUHSWURM, I., ZEHETMAYER, M., DEJACO, C., WOLF, B., and KARNER-HANUSCH, J.: Ophthalmic and genetic screening in pedigrees with familial adenomatous polyposis, 680

RÜTHER, K.: See SEELIGER, M., 214

RUTZEN, A. R.: See TANGUILIG, G. G., 567

S

SAITO, I.: See WAX, M. B., 145

SAITO, Y.: See FUJIKADO, T., 647

SALÈS, M.,-J.: See SOUIED, E. H., 100

SAMAHA, A., GREEN, R., TRABOULSI, E. I., and MA'LUF, R.: Tick infestation of the eyelid, 263

SAMPLE, P. A.: See ANTON, A., 436

SÁNCHEZ-SALORIO, M.: See CAPEÁNS, C., 729

SANTINI, R.: See GROOM, M., 115

SANTOS, L.: See CAPEÁNS, C., 729

SATO, K.: See IKEDA, T., 710

SATO, T.: See GÜNDÜZ, K., 407

SATO, Y.: See NISHIO, M., 712

SCHEIN, O. D.: The use of processed pericardial tissue in anterior ocular segment reconstruction, 549

SCHEURLEN, W.: See CURSIEFEN, C., 260

SCHIFF, W. M.: See JEWELEWICZ, D. A., 872

SCHLOTE, T.: See WOHLRAB, T.-M., 693

SCHOEMAKER, R. C.: See WEIJTENS, O., 673

SCHOENLEBER, D. B.: See INGRAHAM, H. J., 394

SCHWAB, I. R.: See MORSE, L. S., 568

SCHWAB, I. R.: See REED, J. B., 409

SCHWARTZ, D. M., FIELDS, H. L., DUNCAN, K. G., DUNCAN, J. L., and JONES, M. R.: Experimental study of tetrodotoxin, a long-acting topical anesthetic, 481

SCHWARTZ, D. M.: See SILVERSTEIN, B. E., 411

SEELIGER, M., KRETSCHMANN, U., APFELSTEDT-SYLLA, E., RÜTHER, K., and ZRENNER, E.: Multifocal electroretinography in retinitis pigmentosa, 214

SEIFF, S.: See MARGOLIS, T. P., 285

SEITZ, B., LANGENBUCHER, A., KUS, M. M., and HARRER, M.: Experimental correction of irregular corneal astigmatism using topography-based flying-spot–mode excimer laser photoablation, 252

SEITZ, B.: See KÜCHLE, M., 177

SELVAKUMAR, S.: See PRAJNA, N. V., 14

SELVARAJ, S.: See FLETCHER, A., 26

SEMCHYSHYN, T. M.: See FEMAN, S. S., 704

SEMINA, E. V.: See ALWARD, W. L. M., 98

SEVERIN, M.: See WIDDER, R. A., 392

SHAMA, A.: See MARGOLIS, T. P., 285

SHARON, E.: See MORAD, Y., 164

SHERMAN, M. D., HOLLAND, G. N., HOLSCLAW, D. S., WEISZ, J. M., OMAR, O. H. M., and SHERMAN, R. A.: Delusions of ocular parasitosis, 852

SHERMAN, R. A.: See SHERMAN, M. D., 852

SHETH, B. P.: See ALWARD, W. L. M., 98

SHIELDS, C. L.: See GÜNDÜZ, K., 407, 870

SHIELDS, J. A.: See GÜNDÜZ, K., 407, 870

SHIMAZAKI, J.: See SHIMMURA, S., 386, 388

SHIMAZAKI, J.: See Yang, H.-Y., 54

SHIMIZU, H.: See KAKEHASHI, A., 113

SHIMIZU, K.: See MARUYAMA, Y., 666

SHIMIZU, K.: See TAKAHASHI, K., 367

SHIMIZU, Y.: See KAKEHASHI, A., 113

SHIMMURA, S., GOTO, E., SHIMAZAKI, J., and TSUBOTA, K.: Viscosity-dependent fluid dynamics of eyedrops on the ocular surface, 386

SHIMMURA, S., SHINOZAKI, N., FUKAGAWA, K., SHIMAZAKI, J., and TSUBOTA, K.: Real-time telemedicine in the clinical assessment of the ocular surface, 388

SHIMOMURA, Y.: See INOUE, T., 721

SHIN, D. H., REN, J., JUZYCH, M. S., HUGHES, B. A., KIM, C., SONG, M. S., YANG, K. J., and GLOVER, K. B.: Primary glaucoma triple procedure in patients with primary open-angle glaucoma: The effect of mitomycin C in patients with and without prognostic factors for filtration failure, 346

SHIN, D. H.: See LEMON, L. C., 340

SHINOZAKI, N.: See SHIMMURA, S., 388

SHIRAKI, K., MORIWAKI, M., ATAKA, S., HENMI, K., MIKI, T., and KANAOKA, Y.: Acute retinal necrosis late in the second trimester, 103

SIATKOWSKI, M.: See BLUMENFELD, L. C., 197

SIEBERT, K. J.: Management of Ocular Injuries and Emergencies, by MacCumber, M. W. (ed.) (book review), 885

SILVERMAN, R. H.: See KIM, D. Y., 725

SILVERSTEIN, B. E., SMITH, J. H., SYKES, S. O., JONES, M. R., SCHWARTZ, D., and CUNNINGHAM, E. T.: Cystoid macular edema associated with cytomegalovirus retinitis in patients with the acquired immunodeficiency syndrome, 411

SILVERSTEIN, B. E., and WONG, I. G.: Reduction of cyclosporine dosage with ketoconazole in a patient with birdshot retinochoroidopathy, 106

SIMON, D. J.: See BIOUSSE, V., 527

SINGERMAN, L. J.: See GORIN, M. B., 493

SLADE, S.: The Excimer. Fundamentals and Clinical Use. Second Edition., by Stein, H. A., Cheskes, A. T., and Stein, R. M. (book review), 733

SLUSHER, M. M.: See GREVEN, C. M., 360

SMALL, K. W.: See RABB, M. F., 502

SMITH, J. H.: See SILVERSTEIN, B. E., 411

SMITH, R. J., and BHAVSAR, A. R.: Simplified technique for suturing a temporary keratoprosthesis for pars plana vitrectomy, 251

SMITH, R. J., CHAN, W.-K., MALONEY, R. K.: The predic-

tion of surgically induced refractive change from corneal topography, 44

SOLOMON, K. D., STEWART, W. C., HUNT, H. H., STEWART, J. A., and CATE, E. A.: Intraoperative intracameral carbachol in phacoemulsification and posterior chamber lens implantation, 36

SONG, M. S.: See SHIN, D. H., 346

SOUBRANE, G.: See SOUIED, E. H., 100, 353

SOUIED, E. H., BENLIAN, P., AMOUYEL, P., FEINGOLD, J., LAGARDE, J.-P., MUNNICH, A., KAPLAN, J., COSCAS, G., and SOUBRANE, G.: The ε4 allele of the apolipoprotein E gene as a potential protective factor for exudative age-related macular degeneration, 353

SOUIED, E. H., SALÈS, M.-J., SOUBRANE, G., COSCAS, G., BIGORIE, B., KAPLAN, J., MUNNICH, A., and RÖTIG, A.: Macular dystrophy, diabetes, and deafness associated with a large mitochondrial DNA deletion, 100

SPITALNY, L.: See ABELSON, M. B., 797

SPONSEL, W. E., ARANGO, S., TRIGO, Y., and MENSAH, J.: Clinical classification of glaucomatous visual field loss by frequency doubling perimetry, 830

STERNBERG, P., JR.: Reply to BULLOCK, J. D., and WARWAR, R. E.: A system for classifying mechamical injuries of the eye (globe) (correspondence), 565

STEWART, J. A.: See SOLOMON, K. D., 36

STEWART, W. C.: See SOLOMON, K. D., 36

STONE, E. M.: See ALWARD, W. L. M., 98

STOUT, J. T.: See CHANG, C. W., 868

STRAATSMA, B. R.: Change is the instrument of progress (editorial), 94

STULTING, R. D.: See JONES, S. S., 465

SUN, G.: See LIANG, C., 191

SUNNESS, J. S.: See LOEWENSTEIN, A., 657

SUZUKI, T.: See NISHIO, M., 712

SYKES, S. O.: See SILVERSTEIN, B. E., 411

T

TAGAWA, Y.: See OHTSUKA, K., 403

TAHARA, K.: See INOUE, T., 721

TAKAHASHI, E.: See NISHI, O., 545

TAKAHASHI, K., KISHI, S., MURAOKA, K., TANAKA, T., and SHIMIZU, K.: Radiation choroidopathy with remodeling of the choroidal venous system, 367

TALLUTO, D.: See WYSE, T., 334

TANAKA, T.: See TAKAHASHI, K., 367

TANGUILIG, G. G., RUTZEN, A. R., and ORTEGA-LARROCEA, G.: Regression of cytomegalovirus retinitis associated with protease-inhibitor treatment in patients with AIDS (correspondence), 567

TANIKAWA, A.: See TERASAKI, H., 204

TANO, Y.: See FUJIKADO, T., 647

TERASAKI, H., MIYAKE, Y., TANIKAWA, A., KONDO, M., ITO, Y., and HORIGUCHI, M.: Focal macular electroretinograms before and after successful macular hole surgery, 204

TERRY, B. T.: See LEVINSON, R. D., 312

TEZEL, G.: See WAX, M. B., 145

THIEL, H.-J.: See WOHLRAB, T.-M., 693

THOMAS, J. M.: See DORNIC, D. I., 719

THOMPSON, K. P.: See JONES, S. S., 465

THULASIRAJ, R. D.: See FLETCHER, A., 26

THULASIRAJ, R. D.: See NATCHIAR, G. N., 1

THYLEFORS, B.: A global initiative for the elimination of avoidable blindness (editorial), 90

TODA, I.: See Yang, H.-Y., 54

TONG, C. Y. W.: See KAYE, S. B., 187

TRABOULSI, E. I.: Reply to RAGGE, N. K., RAVINE, D., and WILKIE, A. O. M.: Dominant inheritance of optic pits (correspondence), 124

TRABOULSI, E. I.: See SAMAHA, A., 263

TREISTER, G.: See MELAMED, S., 447

TRIGO, Y.: See SPONSEL, W. E., 830

TROPE, G. E.: See KRANEMANN, C. F., 119

TSUBOTA, K.: See SHIMMURA, S., 386, 388

TSUBOTA, K.: See Yang, H.-Y., 54

TUFAIL, A.: See LEVINSON, R. D., 312

TULI, S. W.: See PANDA, A., 59

TUNC, M., WENDEL, R., and CHAR, D. H.: Bilateral multifocal choroidal carcinoid: Long-term follow-up without treatment, 875

TURNER, J. F., JR.: See OH, K. T., 560

U

UDAR, N.: See RABB, M. F., 502

UDERMAN, J. M.: See WYSE, T., 334

UGURLU, S., WEITZMAN, M., NDUAGUBA, C., and CAPRIOLI, J.: Acquired pit of the optic nerve: A risk factor for progression of glaucoma, 457

UNDERDAHL, J. P., and CHIOU, A. G.-Y.: Preseptal cellulitis and orbital wall destruction secondary to nasal cocaine abuse, 266

V

VALLURI, S.: See LIM-BON-SIONG, E., 169

VAN AELST, I.: See ABU EL-ASRAR, A. M., 844

VAN MEURS, J. C.: See WEIJTENS, O., 673

VANN, R.: See LEVINSON, R. D., 312

VAN ROOIJ, J.: See WEIJTENS, O., 673

VASAVADA, A. R.: See PENG, Q., 621

VECKENEER, M.: See ABU EL-ASRAR, A. M., 844

VEYRE, L.: See DOLLFUS, H., 397

VICINANZA-ADAMI, C.: See GROOM, M., 115

VIGNAL, C.: See BORDERIE, V. M., 256

VIJAYKUMAR, V.: See FLETCHER, A., 26

VÖLCKER, H. E.: See HOLZ, F. G., 227

W

WAGONER, M. D.: See BADR, I. A., 182

WALTON, C.: See ZEGANS, M. E., 292

WARING, G. O., III: See JONES, S. S., 465

WARWAR, R. E.: See BULLOCK, J. D., 565

WAX, M. B., TEZEL, G., SAITO, I., GUPTA, R. S., HARLEY, J. B., LI, Z., and ROMANO, C.: Anti–Ro/SS-A positivity and heat shock protein antibodies in patients with normal-pressure glaucoma, 145

WEENE, L. E.: Recognizing structural damage to the optic nerve head and nerve fiber layer in glaucoma (correspondence), 563

WEIJTENS, O., SCHOEMAKER, R. C., COHEN, A. F., ROMIJN, F. P. H. T. M., LENTJES, E. G. W. M., VAN ROOIJ, J., and VAN MEURS, J. C.: Dexamethasone concentration in vitreous and serum after oral administration, 673

WEINREB, R. N.: See ANTON, A., 436

WEINREB, R. N.: See GUPTA, N., 884

WEISZ, J. M.: See SHERMAN, M. D., 852

WEITZMAN, M.: See LEE, M. S., 701

WEITZMAN, M.: See UGURLU, S., 457

WENDEL, R.: See TUNC, M., 875

WICKERHAM, L.: See GORIN, M. B., 493

WIDDER, R. A., SEVERIN, M., KIRCHHOF, B., and KRIEGLSTEIN, G. K.: Corneal injury after carbon dioxide laser skin resurfacing, 392

WILKIE, A. O. M.: See RAGGE, N. K., 124

WOHLRAB, T.-M., ROHRBACH, J. M., ERB, C., SCHLOTE, T., KNORR, M., THIEL, H.-J.: Argon laser therapy of benign tumors of the eyelid, 693

WOJNO, T. H.: See YOON, Y. D., 558

WOLF, B.: See RUHSWURM, I., 680

WOLIN, M. J.: Digoxin visual toxicity with therapeutic blood levels of digoxin, 406

WOLMARK, N.: See GORIN, M. B., 493

WONG, I. G.: See SILVERSTEIN, B. E., 106

WU, M.-J.: See HU, F.-R., 118

WYSE, T., MEYER, M., RUDERMAN, J. M., KRUPIN, T., TALLUTO, D., HERNANDEZ, R., and ROSENBERG, L. F.: Combined trabeculectomy and phacoemulsification: A one-site vs a two-site approach, 334

Y

YAMADA, M.: See KONISHI, M., 258

YAMAGISHI, N.: See ANTON, A., 436

YAMAZAKI, Y.: See DRANCE, S. M., 566

YANG, H.-Y., FUJISHIMA, H., TODA, I., ITOH, S., BISSEN-MIYAJIMA, H., SHIMAZAKI, J., and TSUBOTA, K.: Allergic conjunctivitis as a risk factor for regression and haze after photorefractive keratectomy, 54

YANG, K. J.: See SHIN, D. H., 346

YEATTS, R. P.: See NEVES, R. B., 879

YEE, R. W., and THE KETOROLAC RADIAL KERATOTOMY STUDY GROUP: Analgesic efficacy and safety of nonpreserved ketorolac tromethamine ophthalmic solution following radial keratotomy, 472

YEH, K.-H.: See HU, F.-R., 717

YELCHITS, S.: See RABB, M. F., 502

YOO, R. T., RIVERA, P. M., CAMPBELL, J. P., and BUTRUS, S. I.: Corneal injury from explosion of microwaved eggs, 390

YOON, Y. D., AABERG, T. M., SR., WOJNO, T. H., and GROSSNIKLAUS, H. E.: Osseous metaplasia in proliferative vitreoretinopathy, 558

YUKI, N.: See OHTSUKA, K., 403

Z

ZAKOV, Z. N.: See PARNES, R. E., 703

ZANGWILL, L.: See ANTON, A., 436

ZEE, D.: See KERRISON, J. B., 64

ZEGANS, M. E., WALTON, C., HOLLAND, G. N., O'DONNELL, J. J., JACOBSON, M. A., and MARGOLIS, T. P.: Transient vitreous inflammatory reactions associated with combination antiretroviral therapy in patients with AIDS and cytomegalovirus retinitis, 292

ZEHETMAYER, M.: See RUHSWURM, I., 680

ZIMMERMAN, B.: See HAYREH, S. S., 509, 521

ZRENNER, E.: See SEELIGER, M., 214

ABSTRACT INDEX

A

Acquired immunodeficiency syndrome
Rapidly progressive herpetic retinal necrosis: a blinding disease characteristic of advanced AIDS, 890

Age groups
Presbyopia and the optical changes in the human crystalline lens with age, 891

Aged
Risk of ocular hypertension or open-angle glaucoma in elderly patients on oral glucocorticoids, 279

Anterior chamber
Block excision of cystic and/or diffuse sheet-like epithelial ingrowth of the anterior chamber: report on 51 consecutive patients, 738

Diagnostic anterior chamber paracentesis in uveitis: a safe procedure?, 739

Antibiotics
Comparative safety of tetracycline, minocycline, and doxycycline, 281

Effects of requiring prior authorization for selected antimicrobials: expenditures, susceptibilities, and clinical outcomes, 132

Laboratory practices for reporting bacterial susceptibility tests that affect antibiotic therapy, 424

Ocular concentrations of mitomycin C using different delivery devices, 892

Anti-inflammatory agents, non-steroidal
Reduction by anti-inflammatory drugs of the response of corneal sensory nerve fibers to chemical irritation, 283

Antiphospholipid syndrome
A retrospective review of 61 patients with antiphospholipid syndrome: analysis of factors influencing recurrent thrombosis, 892

Apoptosis
To die or not to die. An overview of apoptosis and its role in disease, 737

Astigmatism
Astigmatism and visual recovery after large incision extracapsular cataract surgery and small incisions for phacoemulsification, 423

Axons
Axonal transection in the lesions of multiple sclerosis, 741

B

Beaver Dam Eye Study
The relation of systemic hypertension to changes in the retinal vasculature: the Beaver Dam Eye Study, 322

Blood glucose
Estimated benefits of glycemic control in microvascular complications in type 2 diabetes, 739

Blue Mountains Eye Study
Reproducibility of the Wisconsin cataract grading system in the Blue Mountains Eye Study, 278

Brachytherapy
Concurrent vs sequential application of ferromagnetic hyperthermia and ^{125}I brachytherapy of melanoma in an animal model, 573

Brain
Axonal transection in the lesions of multiple sclerosis, 741

C

Cataract
Cataract as a protein condensation disease: The Proctor Lecture, 279

Reproducibility of the Wisconsin cataract grading system in the Blue Mountains Eye Study, 278

A retrospective comparison of techniques to prevent secondary cataract formation following posterior chamber intraocular lens implantation in infants and children, 423

Steroid-induced cataract: new perspectives from *in vitro* and lens culture studies, 278

Cataract extraction
Astigmatism and visual recovery after large incision extracapsular cataract surgery and small incisions for phacoemulsification, 423

Cavernous sinus
Dose-response tolerance of the visual pathways and cranial nerves of the cavernous sinus to stereotactic radiosurgery, 576

Cell aging
To die or not to die. An overview of apoptosis and its role in disease, 737

Extension of life-span by introduction of telomerase into normal human cells, 889

Central nervous system
Direct observation of myelination *in vivo* in the mature human central nervous system. A model for the behavior of oligodendrocyte progenitors and their progeny, 578

Cerebral aneurysm
Screening for ocular hemorrhages in patients with ruptured cerebral aneurysms: a prospective study of 99 patients, 131

Cerebrovascular disorders
The common MELAS mutation A3243G in mitochondrial DNA among young patients with an occipital brain infarct, 426

Hereditary endotheliopathy with retinopathy, nephropathy, and stroke (HERNS), 577

Child
Homonymous hemifield loss in childhood, 889

Optical and structural development of the crystalline lens in childhood, 891

Outcome study of bilateral lateral rectus recession for intermittent exotropia in children, 424

A retrospective comparison of techniques to prevent second-

0002-9394/98/$19.00
PII S0002-9394(98)0200-1
© 1998 BY ELSEVIER SCIENCE INC. ALL RIGHTS RESERVED.

ary cataract formation following posterior chamber intraocular lens implantation in infants and children, 423

Risk factors for developing multiple sclerosis after childhood optic neuritis, 426

Visual impairment associated with mutism after posterior fossa surgery in children, 888

Choroid

Morphology of early choroidal neovascularization in age-related macular degeneration: correlation with activity, 281

Conjunctivitis

Homozygous mutations in the plasminogen gene of two unrelated girls with ligneous conjunctivitis, 737

Cornea

Reduction by anti-inflammatory drugs of the response of corneal sensory nerve fibers to chemical irritation, 283

Corneal dystrophies, hereditary

A photoreceptor cell-specific ATP-binding transporter gene (ABCR) is mutated in recessive Stargardt macular dystrophy, 129

Corneal topography

Wound healing after excimer laser photorefractive keratectomy: correlation of clinical outcomes, corneal topography, and confocal microscopy, 574

Corneal transplantation

Oral immunization as a strategy for enhancing corneal allograft survival, 282

Transmission of Creutzfeldt-Jakob disease via a corneal transplant, 130

Cranial fossa, posterior

Visual impairment associated with mutism after posterior fossa surgery in children, 888

Cranial nerves

Dose-response tolerance of the visual pathways and cranial nerves of the cavernous sinus to stereotactic radiosurgery, 576

Creutzfeldt-Jakob disease

Transmission of Creutzfeldt-Jakob disease via a corneal transplant, 130

D

Danaparoid sodium

Effect of danaparoid sodium on hard exudates in diabetic retinopathy, 740

Diabetes mellitus, non-insulin-dependent

Estimated benefits of glycemic control in microvascular complications in type 2 diabetes, 739

Diabetic retinopathy

Effect of danaparoid sodium on hard exudates in diabetic retinopathy, 740

Vascular endothelial growth factor and vascular permeability changes in human diabetic retinopathy, 575

Diagnostic techniques, ophthalmological

Diagnostic anterior chamber paracentesis in uveitis: a safe procedure?, 739

Risk of acute angle-closure glaucoma after diagnostic mydriasis in nonselected subjects: the Rotterdam Study, 737

Diclofenac

Reduction by anti-inflammatory drugs of the response of corneal sensory nerve fibers to chemical irritation, 283

Diltiazem

Reduction by anti-inflammatory drugs of the response of corneal sensory nerve fibers to chemical irritation, 283

DNA, mitochondrial

The common MELAS mutation A3243G in mitochondrial DNA among young patients with an occipital brain infarct, 426

Leber hereditary optic neuropathy: mitochondrial mutations and degeneration of the optic nerve, 425

Pigmentary retinopathy associated with the mitochondrial DNA 3242 point mutation, 280

Doxycycline

Comparative safety of tetracycline, minocycline, and doxycycline, 281

E

Electroretinogram

ERG abnormalities in relation to histopathologic findings in vitiligo mutant mice, 122

Endothelial growth factors

Evolution of neovascularization in mice with overexpression of vascular endothelial growth factor in photoreceptors, 890

Vascular endothelial growth factor and vascular permeability changes in human diabetic retinopathy, 575

Endothelium, corneal

Block excision of cystic and/or diffuse sheet-like epithelial ingrowth of the anterior chamber: report on 51 consecutive patients, 738

Hereditary endotheliopathy with retinopathy, nephropathy, and stroke (HERNS), 577

Exotropia

Outcome study of bilateral lateral rectus recession for intermittent exotropia in children, 424

Exudates

Effect of danaparoid sodium on hard exudates in diabetic retinopathy, 740

Eye enucleation

Wilbrand's knee of the primate optic chiasm is an artifact of monocular enucleation, 576

F

Fibroblast growth factor, basic

Quantitative study on regenerated retinal pigment epithelium and the effects of growth factor, 577

Flurbiprofen

Reduction by anti-inflammatory drugs of the response of corneal sensory nerve fibers to chemical irritation, 283

G

Genes

Homozygous mutations in the plasminogen gene of two unrelated girls with ligneous conjunctivitis, 737

More mutations in males, 426

A photoreceptor cell-specific ATP-binding transporter gene

(ABCR) is mutated in recessive Stargardt macular dystrophy, 129

Genetics, medical

Clinical and genetic analysis of a large Dutch family with autosomal dominant vascular retinopathy, migraine, and Raynaud's phenomenon, 891

The common MELAS mutation A3243G in mitochondrial DNA among young patients with an occipital brain infarct, 426

Leber hereditary optic neuropathy: mitochondrial mutations and degeneration of the optic nerve, 425

Pigmentary retinopathy associated with the mitochondrial DNA 3242 point mutation, 280

Glaucoma, angle-closure

Risk of acute angle-closure glaucoma after diagnostic mydriasis in nonselected subjects: the Rotterdam Study, 737

Glaucoma, open-angle

Risk of ocular hypertension or open-angle glaucoma in elderly patients on oral glucocorticoids, 279

Glucocorticoids, synthetic

Effects of intravenous methylprednisolone on outcome in MRI-based prognostic subgroups in acute optic neuritis, 741

Risk of ocular hypertension or open-angle glaucoma in elderly patients on oral glucocorticoids, 279

Steroid-induced cataract: new perspectives from *in vitro* and lens culture studies, 278

Graves' disease

Relation between therapy for hyperthyroidism and the course of Graves' ophthalmopathy, 575

H

Hemorrhage, ocular

Screening for ocular hemorrhages in patients with ruptured cerebral aneurysms: a prospective study of 99 patients, 131

Herpes simplex

Herpes simplex virus type 2 in the United States, 1976 to 1994, 282

Rapidly progressive herpetic retinal necrosis: a blinding disease characteristic of advanced AIDS, 890

HIV infections

Rapidly progressive herpetic retinal necrosis: a blinding disease characteristic of advanced AIDS, 890

HLA antigens

Human leukocyte antigen class I expression. Marker of poor prognosis in uveal melanoma, 132

The Hong Kong vision study

The Hong Kong vision study: a pilot assessment of visual impairment in adults, 888

Hypertension

The relation of systemic hypertension to changes in the retinal vasculature: the Beaver Dam Eye Study, 322

Risk of ocular hypertension or open-angle glaucoma in elderly patients on oral glucocorticoids, 279

Hyperthermia, induced

Concurrent vs sequential application of ferromagnetic hyperthermia and ^{125}I brachytherapy of melanoma in an animal model, 573

Hyperthyroidism

Relation between therapy for hyperthyroidism and the course of Graves' ophthalmopathy, 575

I

Iatrogenic disease

Iatrogenic limbal stem cell deficiency, 422

Immune system

Immune deviation in relation to ocular immune privilege, 281

Oral immunization as a strategy for enhancing corneal allograft survival, 282

Indomethacin

Reduction by anti-inflammatory drugs of the response of corneal sensory nerve fibers to chemical irritation, 283

Infant

A retrospective comparison of techniques to prevent secondary cataract formation following posterior chamber intraocular lens implantation in infants and children, 423

Infection

Effects of requiring prior authorization for selected antimicrobials: expenditures, susceptibilities, and clinical outcomes, 132

Iodine radioisotopes

Concurrent vs sequential application of ferromagnetic hyperthermia and ^{125}I brachytherapy of melanoma in an animal model, 573

Relation between therapy for hyperthyroidism and the course of Graves' ophthalmopathy, 575

K

Keratectomy, photorefractive, excimer laser

Patient expectations and recollection of information about photorefractive keratectomy, 738

Wound healing after excimer laser photorefractive keratectomy: correlation of clinical outcomes, corneal topography, and confocal microscopy, 574

Kidney diseases

Hereditary endotheliopathy with retinopathy, nephropathy, and stroke (HERNS), 577

L

Lens, crystalline

Optical and structural development of the crystalline lens in childhood, 891

Presbyopia and the optical changes in the human crystalline lens with age, 891

Lens implantation, intraocular

A retrospective comparison of techniques to prevent secondary cataract formation following posterior chamber intraocular lens implantation in infants and children, 423

Limbus corneae

Iatrogenic limbal stem cell deficiency, 422

Lumboperitoneal shunting
Lumboperitoneal shunting for pseudotumor cerebri, 129

M

Macular degeneration
Moderate wine consumption is associated with decreased odds of developing age-related macular degeneration in NHANES-1, 740

Morphology of early choroidal neovascularization in age-related macular degeneration: correlation with activity, 281

Macular dystrophy
A photoreceptor cell-specific ATP-binding transporter gene (ABCR) is mutated in recessive Stargardt macular dystrophy, 129

Melanoma
Concurrent vs sequential application of ferromagnetic hyperthermia and ^{125}I brachytherapy of melanoma in an animal model, 573

Human leukocyte antigen class I expression. Marker of poor prognosis in uveal melanoma, 132

MELAS syndrome
The common MELAS mutation A3243G in mitochondrial DNA among young patients with an occipital brain infarct, 426

Methimazole
Relation between therapy for hyperthyroidism and the course of Graves' ophthalmopathy, 575

Microscopy, confocal
Wound healing after excimer laser photorefractive keratectomy: correlation of clinical outcomes, corneal topography, and confocal microscopy, 574

Migraine
Clinical and genetic analysis of a large Dutch family with autosomal dominant vascular retinopathy, migraine, and Raynaud's phenomenon, 891

Minocycline
Comparative safety of tetracycline, minocycline, and doxycycline, 281

Mitochondrial disease
The common MELAS mutation A3243G in mitochondrial DNA among young patients with an occipital brain infarct, 426

Leber hereditary optic neuropathy: mitochondrial mutations and degeneration of the optic nerve, 425

Pigmentary retinopathy associated with the mitochondrial DNA 3242 point mutation, 280

Mitomycin C
Ocular concentrations of mitomycin C using different delivery devices, 892

Multiple sclerosis
Axonal transection in the lesions of multiple sclerosis, 741

The 5-year risk of MS after optic neuritis. Experience of the Optic Neuritis Treatment Trial, 425

Risk factors for developing multiple sclerosis after childhood optic neuritis, 426

Mutism
Visual impairment associated with mutism after posterior fossa surgery in children, 888

Mydriasis
Risk of acute angle-closure glaucoma after diagnostic mydriasis in nonselected subjects: the Rotterdam Study, 737

Myelin
Direct observation of myelination *in vivo* in the mature human central nervous system. A model for the behavior of oligodendrocyte progenitors and their progeny, 578

N

National Health Nutrition and Examination Survey (NHANES-1)
Moderate wine consumption is associated with decreased odds of developing age-related macular degeneration in NHANES-1, 740

Necrosis
Rapidly progressive herpetic retinal necrosis: a blinding disease characteristic of advanced AIDS, 890

Neoplasms
Cancer incidence after retinoblastoma. Radiation dose and sarcoma risk, 280

A prospective multicenter trial of octreotide in 24 patients with visual defects caused by nonfunctioning and gonadotropin-secreting pituitary adenomas, 130

Neovascularization
Evolution of neovascularization in mice with overexpression of vascular endothelial growth factor in photoreceptors, 890

Morphology of early choroidal neovascularization in age-related macular degeneration: correlation with activity, 281

Nerve fibers
Reduction by anti-inflammatory drugs of the response of corneal sensory nerve fibers to chemical irritation, 283

Nerve fibers, myelinated
Direct observation of myelination *in vivo* in the mature human central nervous system. A model for the behavior of oligodendrocyte progenitors and their progeny, 578

Neurotrophic factors
A model of ocular dominance column development by competition for trophic factor, 133

Nutrition surveys
Moderate wine consumption is associated with decreased odds of developing age-related macular degeneration in NHANES-1, 740

O

Occipital lobe
The common MELAS mutation A3243G in mitochondrial DNA among young patients with an occipital brain infarct, 426

Octreotide
A prospective multicenter trial of octreotide in 24 patients with visual defects caused by nonfunctioning and gonadotropin-secreting pituitary adenomas, 130

Ocular dominance columns
A model of ocular dominance column development by competition for trophic factor, 133

Ocular hypertension
Risk of ocular hypertension or open-angle glaucoma in elderly patients on oral glucocorticoids, 279

Oligodendroglia
Direct observation of myelination *in vivo* in the mature human central nervous system. A model for the behavior of oligodendrocyte progenitors and their progeny, 578

Optic atrophy, hereditary
Leber hereditary optic neuropathy: mitochondrial mutations and degeneration of the optic nerve, 425

Optic chiasm
Wilbrand's knee of the primate optic chiasm is an artifact of monocular enucleation, 576

Optic nerve
Leber hereditary optic neuropathy: mitochondrial mutations and degeneration of the optic nerve, 425

Optic neuritis
Effects of intravenous methylprednisolone on outcome in MRI-based prognostic subgroups in acute optic neuritis, 741

The 5-year risk of MS after optic neuritis. Experience of the Optic Neuritis Treatment Trial, 425

Optic neuritis in African Americans, 889

Risk factors for developing multiple sclerosis after childhood optic neuritis, 426

Optic Neuritis Treatment Trial
The 5-year risk of MS after optic neuritis. Experience of the Optic Neuritis Treatment Trial, 425

Orbit evisceration
Osteogenin-enhanced bone-specific differentiation in hydroxyapatite orbital implants, 575

Osteogenin
Osteogenin-enhanced bone-specific differentiation in hydroxyapatite orbital implants, 575

P

Paracentesis
Diagnostic anterior chamber paracentesis in uveitis: a safe procedure?, 739

Phacoemulsification
Astigmatism and visual recovery after large incision extracapsular cataract surgery and small incisions for phacoemulsification, 423

Photoreceptors
Evolution of neovascularization in mice with overexpression of vascular endothelial growth factor in photoreceptors, 890

A photoreceptor cell-specific ATP-binding transporter gene (ABCR) is mutated in recessive Stargardt macular dystrophy, 129

Pigment epithelium of eye
Acute posterior multifocal placoid pigment epitheliopathy: a long-term study, 740

Quantitative study on regenerated retinal pigment epithelium and the effects of growth factor, 577

Pituitary adenomas
A prospective multicenter trial of octreotide in 24 patients with visual defects caused by nonfunctioning and gonadotropin-secreting pituitary adenomas, 130

Plasminogen
Homozygous mutations in the plasminogen gene of two unrelated girls with ligneous conjunctivitis, 737

Postoperative period
Visual impairment associated with mutism after posterior fossa surgery in children, 888

Presbyopia
Presbyopia and the optical changes in the human crystalline lens with age, 891

Prostheses and implants
Osteogenin-enhanced bone-specific differentiation in hydroxyapatite orbital implants, 575

The soft keratoprosthesis, 574

Pseudotumor cerebri
Lumboperitoneal shunting for pseudotumor cerebri, 129

R

Radiation effects
Cancer incidence after retinoblastoma. Radiation dose and sarcoma risk, 280

Radiosurgery
Dose-response tolerance of the visual pathways and cranial nerves of the cavernous sinus to stereotactic radiosurgery, 576

Raynaud's phenomenon
Clinical and genetic analysis of a large Dutch family with autosomal dominant vascular retinopathy, migraine, and Raynaud's phenomenon, 891

Rectus lateralis muscles
Outcome study of bilateral lateral rectus recession for intermittent exotropia in children, 424

Retina
Direct observation of myelination *in vivo* in the mature human central nervous system. A model for the behavior of oligodendrocyte progenitors and their progeny, 578

Rapidly progressive herpetic retinal necrosis: a blinding disease characteristic of advanced AIDS, 890

Retinal detachment
Pneumatic retinopexy: the evolution of case selection and surgical technique. A twelve-year study of 302 eyes, 573

Retinal diseases
Hereditary endotheliopathy with retinopathy, nephropathy, and stroke (HERNS), 577

Retinal neovascularization
Evolution of neovascularization in mice with overexpression of vascular endothelial growth factor in photoreceptors, 890

Retinal vessels
Clinical and genetic analysis of a large Dutch family with autosomal dominant vascular retinopathy, migraine, and Raynaud's phenomenon, 891

Estimated benefits of glycemic control in microvascular complications in type 2 diabetes, 739

The relation of systemic hypertension to changes in the retinal vasculature: the Beaver Dam Eye Study, 322

Vascular endothelial growth factor and vascular permeability changes in human diabetic retinopathy, 575

Retinitis pigmentosa

Pigmentary retinopathy associated with the mitochondrial DNA 3242 point mutation, 280

Retinoblastoma

Cancer incidence after retinoblastoma. Radiation dose and sarcoma risk, 280

Risk factors

Cancer incidence after retinoblastoma. Radiation dose and sarcoma risk, 280

The 5-year risk of MS after optic neuritis. Experience of the Optic Neuritis Treatment Trial, 425

Risk factors for developing multiple sclerosis after childhood optic neuritis, 426

Risk of acute angle-closure glaucoma after diagnostic mydriasis in nonselected subjects: the Rotterdam Study, 737

Rotterdam Study

Risk of acute angle-closure glaucoma after diagnostic mydriasis in nonselected subjects: the Rotterdam Study, 737

S

Sarcoidosis

Diagnosis and management of neurological sarcoidosis, 131

Sarcoma

Cancer incidence after retinoblastoma. Radiation dose and sarcoma risk, 280

Stargardt disease

A photoreceptor cell-specific ATP-binding transporter gene (ABCR) is mutated in recessive Stargardt macular dystrophy, 129

Stem cells

Iatrogenic limbal stem cell deficiency, 422

Strabismus

Outcome study of bilateral lateral rectus recession for intermittent exotropia in children, 424

T

Telomerase

Extension of life-span by introduction of telomerase into normal human cells, 889

Tetracycline

Comparative safety of tetracycline, minocycline, and doxycycline, 281

Thrombosis

A retrospective review of 61 patients with antiphospholipid syndrome: analysis of factors influencing recurrent thrombosis, 892

Tissue culture

Extension of life-span by introduction of telomerase into normal human cells, 889

Treatment outcome

Effects of intravenous methylprednisolone on outcome in MRI-based prognostic subgroups in acute optic neuritis, 741

Outcome study of bilateral lateral rectus recession for intermittent exotropia in children, 424

Wound healing after excimer laser photorefractive keratectomy: correlation of clinical outcomes, corneal topography, and confocal microscopy, 574

U

Uveal neoplasms

Concurrent vs sequential application of ferromagnetic hyperthermia and ^{125}I brachytherapy of melanoma in an animal model, 573

Human leukocyte antigen class I expression. Marker of poor prognosis in uveal melanoma, 132

Uveitis

Diagnostic anterior chamber paracentesis in uveitis: a safe procedure?, 739

Uveitis in the southeastern United States, 132

V

Vision disorders

The Hong Kong vision study: a pilot assessment of visual impairment in adults, 888

Morphology of early choroidal neovascularization in age-related macular degeneration: correlation with activity, 281

Visual impairment associated with mutism after posterior fossa surgery in children, 888

Visual fields

Homonymous hemifield loss in childhood, 889

Vitiligo

ERG abnormalities in relation to histopathologic findings in vitiligo mutant mice, 122

W

Wilbrand's knee

Wilbrand's knee of the primate optic chiasm is an artifact of monocular enucleation, 576

Wound healing

Wound healing after excimer laser photorefractive keratectomy: correlation of clinical outcomes, corneal topography, and confocal microscopy, 574